

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/08/2020 11:15 am	
Date and time of reporting (dd/mm/yyyy)	04/08/2020 12:07 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C19679	INDRAMANI MISHRA 13536 /A - 1181	69	М	04.08.2020	Negative
C19799	Dr. RAMKRISHNA P. PILLAI 40354/A- 1222	71	М	04.08.2020	Negative
C19800	SHRIKANT MARUTI INGALE 13552/ A-1194	41	М	04.08.2020	Negative
C19801	PARVEEN HASAN SHAIKH 13568/ A- 1214	36	F	04.08.2020	Negative
C19802	PRABHAKAR GAJANAN SAWANT 13562/ A-1208	70	М	04.08.2020	Positive
C19803	YASH JANARDHAN BHOIR 13554/ A- 1195	15	М	04.08.2020	Positive
C19804	VAISHALI VINAYAK TAMBE 1193	32	F	04.08.2020	Negative
C19805	HEMANT DAMU JETHVA 13548/ A- 1189	46	М	04.08.2020	Negative
C19806	KISAN RAMCHANDRA PAWAR 13545/ A- 1187	53	М	04.08.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)