



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

| | |
|---|---------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 28/08/2020 11:30 am |
| Date and time of reporting (dd/mm/yyyy) | 28/08/2020 17:18 pm |
| SPECIMEN DETAILS | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL | CSMH OPD |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|--|-----------|--------|------------------------|---------------------------------------|
| C23853 | PAWAN DHARAMRAJ PATWA 43485/A- 2431 | 25 | M | 28.08.2020 | Negative |
| C23852 | MUKUND PARBHTI CHORAT 14779/A - 2430 | 41 | M | 28.08.2020 | Negative |
| C23851 | PRASHANT SHRIDHAR ATWANKAR 14774/A - 2428 | 30 | M | 28.08.2020 | Positive |
| C23838 | ASHOK NAGOJI SAKHARE 14758/ A-2401 | 43 | M | 28.08.2020 | Negative |
| C23837 | SHUBH IRBHAN SAGAR 14756/ A-2400 | 58 | M | 28.08.2020 | Positive |
| C23836 | SONAM RAMAVADH BIND 14750/ A-2392 | 10 | F | 28.08.2020 | Negative |
| C23835 | SHRIKANT RAJAN SONAWANE 14749/ A-2389 | 32 | M | 28.08.2020 | Positive |
| C23850 | CHAGUBAI BABAN ADSARE 14773/A - 2425 | 70 | F | 28.08.2020 | Positive |
| C23849 | MONIKA GHUG N-2421/A - 2421 | 37 | F | 28.08.2020 | Negative |
| C23848 | PRAVEEN KUMAR YADAV 43465/A - 2419 | 31 | M | 28.08.2020 | Negative |
| C23847 | SALIM SHAIKH 43464/A - 2418 | 44 | M | 28.08.2020 | Negative |
| C23846 | AKESH SURESH PATIL 43463/ A - 2417 | 28 | M | 28.08.2020 | Negative |
| C23845 | DEEPAK BALIRAM BHAGAT 43462/A - 2416 | 28 | M | 28.08.2020 | Negative |
| C23844 | KAVITA DATTU GARLE 14786/A - 2413 | 30 | F | 28.08.2020 | Negative |
| C23843 | SUSHMA HOLGIR 14767/A - 2412 | 23 | F | 28.08.2020 | Inconclusive (Repeat Fresh Sample) |

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Shalmali

Verified by
Dr. Shalmali Dharma Ph. D

Dr. Milind Ubale

Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

| | |
|---|---------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 28/08/2020 11:30 am |
| Date and time of reporting (dd/mm/yyyy) | 28/08/2020 17:18 pm |
| SPECIMEN DETAILS | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL | CSMH OPD |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|---|-----------|--------|------------------------|------------|
| C23842 | ARCHANA RISHIKESH PURANIK 14762/ A-2407 | 44 | F | 28.08.2020 | Negative |
| C23841 | VITTHAL TUKARAM JADHAV 14761/ A-2406 | 58 | M | 28.08.2020 | Negative |
| C23840 | RAMZAAN JILAMI SHAIKH 14760/ A-2403 | 40 | M | 28.08.2020 | Negative |
| C23839 | DNYANESHWAR SAHEBRAO WAGHMARE 14759/ A-2402 | 26 | M | 28.08.2020 | Negative |

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)