



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	27/08/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	27/08/2020 17:58 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C23721	ARVIND TUKARAM PALKAR 14434 / A - 2377	56	M	27.08.2020	Positive
C23722	YOGESH MOHAN NAMDAS 14736/ A - 2376	32	M	27.08.2020	Negative
C23723	MUTTAIYYA POOJARI 14735/ A - 2375	82	M	27.08.2020	Negative
C23724	TAJ MOHAMMED N - 1239/ A - 2374	31	M	27.08.2020	Negative
C23725	SAKSHI SURESH SHINDE H 3333/ A - 2380	17	F	27.08.2020	Negative
C23726	PRIYANKA NIKI HOTKAR 14720/ A - 2358	27	F	27.08.2020	Negative
C23719	DR. ANIRUDDHA M. NIRKHI 2382/A-2382	39	M	27.08.2020	Negative
C23720	DR KETAKI M PATWARDHAN 2381/A-2381	37	F	27.08.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)