



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	19/06/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	19/06/2020 19:46 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9477	SAVITRI LAXMAN SAWANT	57	F	19.06.2020	Negative
C9439	MRS UJWALA P SHIRORE	50	F	19.06.2020	Positive
C9441	SUNIL RAMBHAU KATKAR 35257	30	M	19.06.2020	Negative
C9443	RAVI SHETTY 8958	48	M	19.06.2020	Negative
C9444	RAMBALI PRAJAPATI 7747	60	M	19.06.2020	Negative
C9447	AMIT SINGH 9008	31	M	19.06.2020	Negative
C9448	MAHADEV MANE 35198	36	M	19.06.2020	Positive
C9449	RAJKUMAR DASARI 8952	18	M	19.06.2020	Negative
C9450	SNEHA DASARI 8953	21	F	19.06.2020	Negative
C9451	DR BHAGYESH SAJAYKUMAR SANAP 35250	26	M	19.06.2020	Negative
C9452	SHALAN PATIL 214	69	F	19.06.2020	Positive
C9453	SAYLI PATIL 9032	49	F	19.06.2020	Positive
C9455	SAINATH DASARI 8590	13	M	19.06.2020	Negative
C9456	RAJU SINGH 8997	42	M	19.06.2020	Negative
C9457	DR RAHUL V LATHKAR 35249	27	M	19.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	19/06/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	19/06/2020 19:46 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9458	JEETENDRA JAISWAR 8975	27	M	19.06.2020	Negative
C9460	REKHA GODE 9023	32	F	19.06.2020	Negative
C9461	SANDESH MALVE 9020	48	M	19.06.2020	Negative
C9464	SANJEEV MALAVADE 9016	50	M	19.06.2020	Negative
C9465	GEETA DASARI 8951	18	F	19.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)