

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	01/10/2020 15:15 pm	
Date and time of reporting (dd/mm/yyyy)	e of reporting (dd/mm/yyyy) 02/10/2020 17:55 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33858	GIRISH V. MAKHIJA W - 6828	62	M	02.10.2020	Negative
C33940	SAKU TORE WP-1576	55	F	02.10.2020	Negative
C33962	SHARMILA ROHIT PIMPALAKAR WV-3330	38	F	02.10.2020	Negative
C33963	LATA PRADEEP SALVI WV-3331	50	F	02.10.2020	Negative
C33964	RAHUL PRADEEP SALVI WV-3332	28	М	02.10.2020	Negative
C33965	REENA SANTOSH JADHAV WV-3333	33	F	02.10.2020	Negative
C33966	NIRMALA GOHIL WV-3334	54	F	02.10.2020	Negative
C33967	PRERANA PRAKASH MHADALEKAR WV-3335	40	F	02.10.2020	Negative
C33968	SONAL BHIMROA GAIKWAD WV- 3336	30	F	02.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Verified by Dr. Shalmali Dharma Ph. D

Shaws

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)