



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	02/08/2020 16:10 pm
Date and time of reporting (dd/mm/yyyy)	03/08/2020 16:52 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C19725	CHANDRAKALA NISHAD 10159/ K-1611	26	F	03.08.2020	Negative
C19726	HARESH PANCHAL 10151/ K-1605	34	M	03.08.2020	<b>Positive</b>
C19727	RAMESH PANCHAL 10152/ K-1604	47	M	03.08.2020	Negative
C19728	RAVINDRA GUNDALE 10145/K-1589	34	M	03.08.2020	Negative
C19729	JAGANATH CHAVAN 10122/K-1552	34	M	03.08.2020	Negative
C19730	KRISHNA KHADIKAR 10121/K-1551	28	M	03.08.2020	Negative
C19731	ARVIND SHAHU 10126/K-1554	20	M	03.08.2020	Negative
C19732	RAVIKUMAR SHAHU 10123/K-1555	24	M	03.08.2020	Negative
C19733	ROHIT SHAHU 10125/K-1556	12	M	03.08.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)