

## NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

## COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	16/09/2020 12:00 pm	
Date and time of reporting (dd/mm/yyyy)	18/09/2020 12:20 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30599	SAGAR R SURVIRKAR 21251	38	М	18.09.2020	Negative
C30600	ANAGHA JADHAV 897	32	F	18.09.2020	Negative
C30601	VIJAYA MUKUND KADAM 898	55	F	18.09.2020	Negative
C30602	CHAYA AATMARAM PATIL 899	79	F	18.09.2020	Negative
C30603	SUMAN SASE 21177	52	F	18.09.2020	Negative
C30604	MAHADU VAMAN BHOIR 900	80	М	18.09.2020	Positive
C30605	VITTHAL D NIMSE 892	55	М	18.09.2020	Negative
C30606	DESHMUKH PUNDALIK 890	77	М	18.09.2020	Negative
C30607	MEENA GANESH KEDARE 896	55	F	18.09.2020	Negative
C30608	DEEEPAK RAMCHANDRA NAIK 21403	39	M	18.09.2020	Negative
C30609	AVINASH BABURAO GAIKAR 20742	38	M	18.09.2020	Negative
C30610	SANDEEPA AVINASH BAIKAR 21359	50	F	18.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.\*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shawo Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)