



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/09/2020 15:25 pm
Date and time of reporting (dd/mm/yyyy)	05/09/2020 19:33 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25569	VIJAYDEVI KARWAR B - 2078	55	F	05.09.2020	Inconclusive (Repeat Fresh Sample)
C25570	RUDRANI RAJPUT B - 2142	5	F	05.09.2020	Negative
C25571	LAITKA WALKAR B - 2081	63	F	05.09.2020	Negative
C25572	KUNTAL RAJPUT B - 2141	38	F	05.09.2020	Negative
C25573	DAMYANTI MANEK B - 2035	78	F	05.09.2020	Negative
C25574	NUPUR MANEK B - 2036	20	F	05.09.2020	Negative
C25575	HARISHCHANDRA KANOJIYA B - 1972	49	M	05.09.2020	Negative
C25576	SHILPA GADKAR B - 2147	32	F	05.09.2020	Negative
C25577	MINAKSHI JADHAV B - 2146	24	F	05.09.2020	Negative
C25578	SHRISTI SHETTY B - 2114	23	F	05.09.2020	Negative
C25579	JHEEL MADIYAR B - 2139	19	F	05.09.2020	Negative
C25580	AANCHAL HARISH MANEK B - 2138	13	F	05.09.2020	Negative
C25581	ANIL MISHARA B - 2140	39	M	05.09.2020	Negative
C25582	ANIKET DUBEY B - 2037	23	M	05.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)