



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	30/06/2020 17:45 pm
Date and time of reporting (dd/mm/yyyy)	02/07/2020 12:55 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11937	VEDANT SUBHASH BAISANE	14	M	02.07.2020	Positive
C11938	SHUBHANGI SUBHASH BAISANE	38	F	02.07.2020	Positive
C11939	VIJAYA DIPAK BAISANE	39	F	02.07.2020	Positive
C11940	NAMAN DIPAK BAISANE	18	M	02.07.2020	Positive
C11941	NIRUTI DEVENDRA BAISANE	17	F	02.07.2020	Positive
C11942	RAMA RATAN BAISANE	69	F	02.07.2020	Positive
C11943	DARSHAN DEVENDRA BAISANE	18	M	02.07.2020	Negative
C11944	SUBHASH RATAN BAISANE	48	M	02.07.2020	Positive
C11945	KARUNA DEVENDRA BAISANE	39	F	02.07.2020	Positive
C11946	CHARUTA SUBHASH BAISANE	17	F	02.07.2020	Positive
C11947	DIPAK RATAN BAISANE	52	M	02.07.2020	Negative
C11948	BALRAM MARUTI JADHAV	40	M	02.07.2020	Negative
C11949	JAGANNATH SHIVRAM BONDRE	50	M	02.07.2020	Positive
C11950	VANDANA GOVIND KASHIVALE	60	F	02.07.2020	Negative
C11951	SUSHILA SHIVNARAYAN PARDESHI	76	F	02.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	30/06/2020 17:45 pm
Date and time of reporting (dd/mm/yyyy)	02/07/2020 12:55 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11952	SANTOSH AADHAR DORIK	30	M	02.07.2020	Positive
C11953	DNYANESHWAR SHANTARAM LOHOKAR	28	M	02.07.2020	Positive
C11954	NITIN SANTOSH PATIL	32	M	02.07.2020	Positive
C11955	ASHWINI NARENDRA BAGUL	44	F	02.07.2020	Negative
C11956	RAKSHA NARENDRA BAGUL	21	F	02.07.2020	Positive
C11957	PUJA NARENDRA BAGUL	23	F	02.07.2020	Negative
C11958	GAURAV DIPAK BAISANE	21	M	02.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)