



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	29/08/2020 17:15 pm
Date and time of reporting (dd/mm/yyyy)	30/08/2020 16:42 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24138	SANGITA SAMIR JAYALE WN-206	45	F	30.08.2020	Negative
C24139	SAKURAM GENU KHAMKAR WN-170	62	M	30.08.2020	Negative
C24140	SAYALI SUMIT KHAMKAR WN-168	25	F	30.08.2020	Negative
C24141	MOHAR ALI HAKIM MULLA CHAUDHARI WV-217	60	M	30.08.2020	Negative
C24142	HARUN AMHAD SHAIKH WV-183	58	M	30.08.2020	Negative
C24143	KANTABAI DHONDIRAJ SATPUTE WV-256	65	F	30.08.2020	Negative
C24144	DR SARDA KATARIA WY-1973	42	F	30.08.2020	Negative
C24145	SAVITRI RAMKRISHNA SHEREKAR WY-1972	43	F	30.08.2020	<b>Positive</b>
C24146	KUNAL THAKKAR WY-1971	23	M	30.08.2020	Inconclusive (Repeat Fresh Sample)
C24147	AMOL PRADEEP SHINDE WY-1959	31	M	30.08.2020	Negative
C24148	SWALEHA A KARI WY-1968	70	F	30.08.2020	<b>Positive</b>
C24149	SUDHIR KHAMKAR WY-1970	50	M	30.08.2020	Negative
C24150	NARAYAN SARMALKAR WY-1974	79	M	30.08.2020	<b>Positive</b>
C24137	PRADEEP RAJARAM SALVI	55	M	30.08.2020	Negative
C24173	SAMITA KHAMKAR	50	F	30.08.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)