



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	12/08/2020 13:00 pm
Date and time of reporting (dd/mm/yyyy)	13/08/2020 12:49 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C21279	ASHOK PRAJAPATI 416	30	M	13.08.2020	Negative
C21300	SHILU KUMAR PATEL 415	24	M	13.08.2020	Negative
C21280	ASHOK GHOSH 415	61	M	13.08.2020	Negative
C21299	NAGENDAR BHUIYA 409	24	M	13.08.2020	Negative
C21281	RAJESH KUMAR 409	30	M	13.08.2020	Negative
C21302	MANORANJAN ADAP 415	33	M	13.08.2020	Negative
C21282	DEEPAK KUMAR 415	22	M	13.08.2020	Negative
C21283	SUJAY BALA 415	18	M	13.08.2020	Negative
C21284	BHOLANATH GHOSH 404	35	M	13.08.2020	Negative
C21285	LOHARCHAND SANGAMA 404	29	M	13.08.2020	Negative
C21286	VINAY KANOJIYA 402	29	M	13.08.2020	<b>Positive</b>
C21301	NUREJ ALAM 402	27	M	13.08.2020	Negative
C21287	JAHIRIEL HAQ 402	18	M	13.08.2020	Negative
C21288	AFSAR SHAIKH 402	25	M	13.08.2020	<b>Positive</b>
C21290	SANATAN KUMAR 404	24	M	13.08.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	12/08/2020 13:00 pm
Date and time of reporting (dd/mm/yyyy)	13/08/2020 12:49 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C21289	SUJIT SINGH 404	37	M	13.08.2020	Negative
C21291	MANGAL MOMU 404	27	M	13.08.2020	Negative
C21298	SHATRU SHAHU 404	31	M	13.08.2020	Negative
C21292	KAMLESH KUMAR 404	28	M	13.08.2020	Negative
C21293	RAM AVTAR 404	27	M	13.08.2020	Negative
C21297	ARNACH MOMIN 404	20	M	13.08.2020	Negative
C21294	DHARMENDRA SINGH 404	30	M	13.08.2020	Negative
C21295	HARSHAL ALI 404	28	M	13.08.2020	Negative
C21296	RITESH PANDEY 404	31	M	13.08.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)