



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	01/10/2020 16:05 pm
Date and time of reporting (dd/mm/yyyy)	02/10/2020 13:47 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33883	NAYAN KADAM K-5470	18	M	02.10.2020	Negative
C33884	AMOGH MALI K-5275	34	M	02.10.2020	Negative
C33885	VARAD GHEEG K-5417	13	M	02.10.2020	Positive
C33886	ANITA SADWELKAR K-5456	53	F	02.10.2020	Positive
C33887	SOMNATH MANE K-5432	65	M	02.10.2020	Negative
C33888	NAMDEO WAYKAR K-5293	65	M	02.10.2020	Inconclusive (Repeat Fresh Sample)
C33889	SHILPA NIRANJAN CHAUDHARI K-5430	46	F	02.10.2020	Negative
C33890	VAISHALI GHAG K-5420	45	F	02.10.2020	Negative
C33891	NITIN JADHAV K-5472	48	M	02.10.2020	Negative
C33893	ASHWIN BANSODE K-5464	30	M	02.10.2020	Negative
C33894	SANGEETA MORE K-5448	32	F	02.10.2020	Negative
C33895	NILIMA KADAM K-5469	35	F	02.10.2020	Negative
C33896	ASHIK GHAG K-5421	49	M	02.10.2020	Negative
C33897	JYOTI JIVLYA K-5467	29	F	02.10.2020	Negative
C33898	MALAN SALUNKHE K-5457	67	F	02.10.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	01/10/2020 16:05 pm
Date and time of reporting (dd/mm/yyyy)	02/10/2020 13:47 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33899	KARTIK KADAM K-5471	13	M	02.10.2020	Negative
C33900	GAURI SHETTEY K-5466	20	F	02.10.2020	Negative
C33901	CHARMI GHAG K-5418	18	F	02.10.2020	Negative
C33902	SHUBDA GHAG K-5419	46	F	02.10.2020	Negative
C33903	SIMON SONAWANE KX-5518	23	M	02.10.2020	Negative
C33904	ASHISH HIVALE KX-5519	29	M	02.10.2020	Negative
C33905	RAHUL YADAV KX-5520	24	M	02.10.2020	Negative
C33906	MAYUR SHIBRULE KX-5521	42	M	02.10.2020	Negative
C33907	MANOJ MANE KX-5522	30	M	02.10.2020	Negative
C33908	RAJESH SINGH KX-5646	19	M	02.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)