



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/09/2020 15:40 pm
Date and time of reporting (dd/mm/yyyy)	16/09/2020 12:27 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30297	RAJANI SINGH W-4885	30	F	16.09.2020	Positive
C30296	BHUSHAN RAMESH SONAR W-4879	45	M	16.09.2020	Negative
C30295	PRASHANT CHITTORA W-4889	45	M	16.09.2020	Negative
C30294	BHARATI RAVINDRA AAHIRARAO W-4899	40	F	16.09.2020	Negative
C30293	SURESH MAHADEV GOKHALE W-4907	76	M	16.09.2020	Negative
C30292	AAVIRAJ ARUN KURHADE W-4814	36	M	16.09.2020	Negative
C30291	ASHWINI KARIA W-4807	28	F	16.09.2020	Negative
C30290	BHAVESH RAVINDRA AAHIRARAO W-4896	24	M	16.09.2020	Negative
C30289	KESHRINATH VALKE W-4833	73	M	16.09.2020	Positive
C30288	BABY D. JAIN W-4805	65	F	16.09.2020	Positive
C30287	SHARAD KESHAV SHAILKAR W-4894	55	M	16.09.2020	Positive
C30286	GIRISH C. DEVGIRKAR W-4845	40	M	16.09.2020	Negative
C30285	QUBA PATEL W-4808	26	F	16.09.2020	Negative
C30284	BHAVUSAHEB BHATU SALUNKHE W-4861	31	M	16.09.2020	Negative
C30408	HARISH BHATE W-5037	30	M	16.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)