

## NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

## COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

## **Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	07/06/2020 17:30 pm	
Date and time of reporting (dd/mm/yyyy)	09/06/2020 15:42 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	Civil Hospital	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C7422	SHARAD RANE	56	М	09.06.2020	Positive
C7423	PANDURANG JADCHAR	50	М	09.06.2020	Negative
C7424	DURGESH KHOCHADE	18	M	09.06.2020	Positive
C7425	HARESH THAKAR	51	М	09.06.2020	Negative
C7426	SANDEEP P. BHOSLE	51	М	09.06.2020	Positive
C7427	SUBHASH JADHAV	46	M 🔷	09.06.2020	Negative
C7428	PRAMOD CHAVAN	41	M	09.06.2020	Positive
C7429	RAMCHANDRA SAWANT	69	M	09.06.2020	Positive
C7430	SURESH MANDAVKAR	50	М	09.06.2020	Positive
C7431	SULAKSHANA SAVANT	65	F	09.06.2020	Positive
C7432	VIJAY KALEHAG	65	M	09.06.2020	Positive
C7433	YASHODA TONDLE	60	F	09.06.2020	Negative
C7434	RAM GUPTA	45	M	09.06.2020	Positive
C7435	RIYAZ AHMED MOMIN	65	М	09.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.\*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)