



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	28/07/2020 18:30 pm
Date and time of reporting (dd/mm/yyyy)	29/07/2020 18:01 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18441	UTTAM BABAN JADHAV	28	M	29.07.2020	Positive
C18442	AKHILESH JAISWAL	18	M	29.07.2020	Negative
C18443	ASHARFILAL JAISWAL	42	M	29.07.2020	Negative
C18444	PADMAKAR ROKADE	50	M	29.07.2020	Negative
C18445	RAJESH S. VISHWAKARMA	31	M	29.07.2020	Negative
C18446	SHRUTIKA VANMALA	17	F	29.07.2020	Positive
C18447	SARITA MAURYA	39	F	29.07.2020	Positive
C18448	VAIBHAV ANIL BABAR	20	M	29.07.2020	Negative
C18449	SONALI ANIL BABAR	21	F	29.07.2020	Negative
C18450	SARITA ANIL BABAR	35	F	29.07.2020	Negative
C18451	MINAKSHI ANIL BABAR	18	F	29.07.2020	Negative
C18452	LAXMI ANIL BABAR	15	F	29.07.2020	Negative
C18453	MOHINLAL SHANTILAL VISHWAKARMA	48	M	29.07.2020	Negative
C18454	GEETA MEHEELAL VISHWAKARMA	45	F	29.07.2020	Negative
C18455	PUSHPA VISHWAKARMA	23	F	29.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	28/07/2020 18:30 pm
Date and time of reporting (dd/mm/yyyy)	29/07/2020 18:01 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18456	SHIVANI VISHWAKARMA	17	F	29.07.2020	Negative
C18457	PAWAN M VISHWAKARMA	18	M	29.07.2020	Negative
C18458	SUJITHKUMAR MANI	34	M	29.07.2020	Negative
C18459	SUMITH MANI	31	M	29.07.2020	Negative
C18460	ZAKIR ABDUL FAKIR	49	M	29.07.2020	Positive
C18461	SAIRA ZAKIR FAKIR	44	F	29.07.2020	Positive
C18462	SHABNAM ZAKIR FAKIR	26	F	29.07.2020	Positive
C18463	SUMIT MOURYA	17	M	29.07.2020	Negative
C18464	RAHUL BHAVSAR	28	M	29.07.2020	Inconclusive (Repeat Fresh Sample)
C18465	TANAJI D. BONDGE	45	M	29.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)