



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	23/08/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	24/08/2020 16:01 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C23178	KESHAV SHARMA W2700	26	M	24.08.2020	Negative
C23179	UNNATI ABHIJEET PAWAR W2681	33	F	24.08.2020	Negative
C23180	ASHWINI KIRAN DONGARE W2707	35	F	24.08.2020	Positive
C23181	NISHA DILIP PAWAR W2683	36	F	24.08.2020	Negative
C23182	HEMCHANDRA PATIL W2690	42	M	24.08.2020	Negative
C23183	ABHIJEET DILIP PAWAR W2680	37	M	24.08.2020	Negative
C23184	VIDYA ASHOK HIRAVE W2701	40	F	24.08.2020	Negative
C23185	AASHA RAVI DEVKAR W2674	30	F	24.08.2020	Negative
C23186	ARADHANA PAWAR W2682	07	F	24.08.2020	Negative
C23187	VINAYAK SARYANKAR W2679	37	M	24.08.2020	Negative
C23188	MITALI PARESH PATIL W2702	35	F	24.08.2020	Negative
C23189	SARITA RAJKUMAR JAISWAL W2695	35	F	24.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)