



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	19/06/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	20/06/2020 18:03 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9590	JYOTI RAJKUMAR RATHOD 9094	32	F	20.06.2020	Negative
C9591	SUREKHA KISHOR JAGTAP 8646	52	F	20.06.2020	Positive
C9592	PRAKASH GOVIND KEDAR 9069	27	M	20.06.2020	Negative
C9593	YUVRAJ POTYA SHELAK 9071	52	M	20.06.2020	Positive
C9594	RAMDAS YEDUBA SAPKAL 9084	26	M	20.06.2020	Positive
C9595	DR. PURUSHOTTAM PATIL 9102	28	M	20.06.2020	Negative
C9596	LAXMAN SHANKAR PISAT 9099	80	M	20.06.2020	Positive
C9640	PRAFUL MOHOD 9130	27	M	20.06.2020	Negative
C9641	DIPAK TAMBE 9119	50	M	20.06.2020	Positive
C9642	OMKAR JONDHALE 9106	20	M	20.06.2020	Positive
C9643	MAARIYA BHANDARI 8856	45	F	20.06.2020	Positive
C9644	SACHIN GHARDE 9127	28	M	20.06.2020	Negative
C9645	PRANAY KHANDARE 9128	23	M	20.06.2020	Positive
C9646	VINOD KAMBLE 9126	32	M	20.06.2020	Positive
C9647	Dr. RUTIKA BHOSALE	27	F	20.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	19/06/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	20/06/2020 18:03 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9648	Dr. MAHESH YEOLE	30	M	20.06.2020	Negative
C9649	DILIP GORE 9120	43	M	20.06.2020	Negative
C9650	DEVENDRA TIWARI 9097	63	M	20.06.2020	Negative
C9651	JAFAR AMIR KHAN 35374	24	M	20.06.2020	Negative
C9652	PANKAJ MASTWAL 9086	27	M	20.06.2020	Negative
C9653	RASHID ALAM SHAIKH 35375	28	M	20.06.2020	Negative
C9654	AMIT SINGH 9085	33	M	20.06.2020	Negative
C9655	JAVED AMIRALI KHAN 35374	28	M	20.06.2020	Negative
C9656	JAGANNATH THAKUR 9105	63	M	20.06.2020	Positive
C9657	VARUN PALWANKAR 9098	29	M	20.06.2020	Negative
C9658	RAEES QURESHI 9100	46	M	20.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)