



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/06/2020 17:20 pm
Date and time of reporting (dd/mm/yyyy)	06/06/2020 19:11 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C6880	KIRAN VILAS KHADE	26	M	06.06.2020	Negative
C6881	POOJA KIRAN KHADE	25	F	06.06.2020	Negative
C6882	HAUSABAI VILAS KHADE	42	F	06.06.2020	Negative
C6883	SANOSH VILAS KHADE	24	M	06.06.2020	Positive
C6884	NIRMALA RAMESH DHAMALE	42	F	06.06.2020	Negative
C6885	MANOHAR JANU GORALE	30	M	06.06.2020	Negative
C6886	SANGITA PRAMOD CHAVAN	36	F	06.06.2020	Positive
C6887	SHANTA RAMA GHODESWAR	65	F	06.06.2020	Positive
C6888	UDAY SHANTARAM CHAUDHARI	47	M	06.06.2020	Negative
C6889	VANDANA CHANDRAMANI MORE	40	F	06.06.2020	Negative
C6890	SHRUSHTI CHANDRAMANI MORE	4	F	06.06.2020	Negative
C6891	SHRUTI CHANDRAMANI MORE	13	F	06.06.2020	Negative
C6892	JAMUNA PITAMBAR MAHALE	60	F	06.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)