



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/09/2020 13:15 pm
Date and time of reporting (dd/mm/yyyy)	06/09/2020 16:31 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25425	VIREN GANESH BHOIR	10	M	05.09.2020	Negative
C25905	SAHEBRAO RAMDAS SHINDE	48	M	06.09.2020	Positive
C25906	DR SHITAL VAMAN LAHAMATE	22	F	06.09.2020	Negative
C25907	DR ANKITA BHASKAR KAMBLE	23	F	06.09.2020	Negative
C25900	DR SAKSHI VINAYAKRAO MAHALE	22	F	06.09.2020	Negative
C25908	VINAYAK BALU CHAVAN	32	M	06.09.2020	Positive
C25910	PRAKASH UTTAMRAO SAKHRE	36	M	06.09.2020	Positive
C25909	UJWALA PRAKASH SAKHRE	30	F	06.09.2020	Positive
C25911	SHREYA PRAKASH SAKHRE	8	F	06.09.2020	Positive
C25912	MANJIT GURUDAYAL BAGAL	75	F	06.09.2020	Negative
C25913	AMARJIT PRADIPSINGH BAGAL	14	M	06.09.2020	Negative
C25914	ANSHDIP PRADIPSINGH GABAL	7	M	06.09.2020	Negative
C25916	SUNITA VITTHAL BHERE	55	F	06.09.2020	Negative
C25917	SHUBHAM RATNANT BORAVKE	24	M	06.09.2020	Negative
C25918	MANISH VINAYAK BHERE	46	M	06.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/09/2020 13:15 pm
Date and time of reporting (dd/mm/yyyy)	06/09/2020 16:31 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25919	DIPIKA DIPAK DINKAR	31	F	06.09.2020	Positive
C25920	SACHIN CHANDRAKANT TELAVNE	40	M	06.09.2020	Positive
C25921	CHITRA DINANATH DESLE	29	F	06.09.2020	Positive
C25922	SUNITA SUNIL DESLE	38	F	06.09.2020	Negative
C25923	DINANATH KESHAV DESLE	40	M	06.09.2020	Positive
C25924	SNEHA SUNIL DESLE	16	F	06.09.2020	Negative
C25925	BALMANI NILKANDAN NAYAR	62	F	06.09.2020	Positive
C25926	JYOTSNA TUSHAR NIKULE	31	F	06.09.2020	Negative
C25927	MINAKSHI CHANDRAKANT BINNAR	37	F	06.09.2020	Positive
C25928	PRASAD CHANDRAKANT BINNAR	14	M	06.09.2020	Positive
C25929	DARSHANA CHANDRAKANT BINNAR	17	F	06.09.2020	Positive
C25931	VARSHA PRAKASH BADKAS	45	F	06.09.2020	Negative
C25930	SANDIP BHIMRAO PUNDAGE	34	M	06.09.2020	Positive
C25932	PALLAVI TUKARAM THAKRE	22	F	06.09.2020	Negative
C25933	LATA TUKARAM THAKRE	41	F	06.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/09/2020 13:15 pm
Date and time of reporting (dd/mm/yyyy)	06/09/2020 16:31 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25935	TUKARAM PANDURANG THAKRE	50	M	06.09.2020	Positive
C25934	PRAKASH MADHAVRAO BADKAS	52	M	06.09.2020	Positive
C25936	NIVRUTI DEVRAM WAGHCHOURE	40	M	06.09.2020	Positive
C25937	BHAU VAMAN VISHE	47	M	06.09.2020	Positive
C25938	TUSHAR VIJAY BHOIR	30	M	06.09.2020	Negative
C25939	VINA KISHOR BHOIR	40	F	06.09.2020	Positive
C25940	KISHOR PANDURNG BHOIR	48	M	06.09.2020	Negative
C25941	NIRMALA KACHRU TARMAL	65	F	06.09.2020	Negative
C25942	SANDIP KACHRU TARMAL	39	M	06.09.2020	Negative
C25915	MEET SANDIP TARMAL	5	M	06.09.2020	Negative
C25901	SAVITRI LAXMAN BHERE	66	F	06.09.2020	Positive
C25903	RENUKA NAVNATH METHAL	35	F	06.09.2020	Positive
C25898	BHASKAR RAGHUNATH CHANDLE	50	M	06.09.2020	Positive
C25902	VISHAL BHASKAR CHANDLE	28	M	06.09.2020	Positive
C25904	SAVITA VISHAL CHANDLE	23	M	06.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/09/2020 13:15 pm
Date and time of reporting (dd/mm/yyyy)	06/09/2020 16:31 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25899	CHETAN RAJENDRA TOLE	27	M	06.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)