

## NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

## COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

## **Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	20/08/2020 12:05 pm	
Date and time of reporting (dd/mm/yyyy)	20/08/2020 16:24 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C22712	TABASSUM KHAN 19532	32	F	20.08.2020	Negative
C22711	DWARAKABAI J. BORSE 19557	75	F	20.08.2020	Negative
C22710	SAYYAD NOOR 19549	70	М	20.08.2020	Negative
C22709	MUKTA DHAGE 19553	46	F	20.08.2020	Negative
C22708	UMESH GAWADE 692	40	М	20.08.2020	Negative
C22707	JAYPRAKASH BABULAL KUDIYA 691	60	M	20.08.2020	Negative
C22706	CHANDBI SHAIKH 690	55	F	20.08.2020	Negative
C22705	KISHOR SHERPUTRE 693	60	М	20.08.2020	Positive
C22704	ASHRAF AZAZ ANSARI 694	20	M	20.08.2020	Negative
C22703	DEEPAK DILIP SURADKAR 695	22	М	20.08.2020	Negative
C22702	BHIKAJI SAKHARAM WAGHULE 696	70	М	20.08.2020	Positive
C22701	PRAVIN C. JAGTAP 19526	56	М	20.08.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
  testing if required.\*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)