



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	30/09/2020 12:45 pm
Date and time of reporting (dd/mm/yyyy)	01/10/2020 12:56 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33579	MUKESH PRABHAKAR KULKARNI	59	M	01.10.2020	Positive
C33580	NANDKISHOR PRABHAKAR KULKARNI	62	M	01.10.2020	Positive
C33586	ASHOK SHANTARAM DARANE	37	M	01.10.2020	Positive
C33589	NIVRUTTI SANTOSH KATHOLE	32	M	01.10.2020	Positive
C33575	NILESH RAMNATH GANGAVANE	38	M	01.10.2020	Positive
C33591	VILAS PRABHAKAR TAROTE	34	M	01.10.2020	Positive
C33590	JYOTI SANDIP JADHAV	28	F	01.10.2020	Negative
C33593	SARVADNYA KALPESH BELAVALE	5	F	01.10.2020	Negative
C33583	ANVI KALPESH BELAVALE	2	F	01.10.2020	Negative
C33581	SAMRUDDHI PRASHANT KAMBALE	33	F	01.10.2020	Negative
C33594	PRABHAKAR BABAJI DONDE	59	M	01.10.2020	Positive
C33584	TUSHAR RAMA ADHIKARI	27	M	01.10.2020	Negative
C33585	DHIRAJ NARENDRA BHOIR	27	M	01.10.2020	Negative
C33576	SHOBHA EKNATH BAMBLE	45	F	01.10.2020	Positive
C33595	DARSHAN EKNATH BAMBLE	16	M	01.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	30/09/2020 12:45 pm
Date and time of reporting (dd/mm/yyyy)	01/10/2020 12:56 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33578	MADHURI NANDKISHOR KULKARNI	56	F	01.10.2020	Positive
C33582	VAIDEHI OMKAR KOSE	29	F	01.10.2020	Negative
C33596	SUREKHA SHASHIKANT SHINDE	54	F	01.10.2020	Negative
C33592	BHUMIKA EKNATH MARADE	14	F	01.10.2020	Negative
C33587	SHAILA EKNATH MARADE	45	F	01.10.2020	Negative
C33574	SAKSHI SHANTARAM BHOIR	22	F	01.10.2020	Positive
C33577	JAYASHRI SHANTARAM BHOIR	43	F	01.10.2020	Positive
C33588	SHIVAJI APPA BHANGARE	41	M	01.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)