

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/10/2020 17:05 pm	
Date and time of reporting (dd/mm/yyyy)	07/10/2020 13:34 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C35317	NILESH CHIMANLAL PANCHAL B - 5194	30	М	07.10.2020	Negative
C35318	MOHAMMAD KURESHI BQ - 1929	36	М	07.10.2020	Negative
C35319	VISHAL GANGARAM LOKHANDE B - 5193	23	М	07.10.2020	Negative
C35320	JYOTI UDAY KEDAR B - 5249	55	F	07.10.2020	Negative
C35321	MAGANLAL DAMOR BQ- 1909	45	М	07.10.2020	Negative
C35322	SHIV PRASAD B - 5796	37	М	07.10.2020	Negative
C35323	BHRIGETI THOMAS B - 5277	78	F	07.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- · Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)