



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	07/06/2020 13:45 pm
Date and time of reporting (dd/mm/yyyy)	09/06/2020 15:47 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C7292	BHARTI BHASKAR PAWAR 33723	76	F	09.06.2020	<b>Positive</b>
C7293	RAMSHARAN SHARMA 7575	41	M	09.06.2020	Negative
C7294	MADHUMITA KAYAL 7553	32	F	09.06.2020	Negative
C7295	PRAVIN MITHBAVKAR 7518	32	M	09.06.2020	Negative
C7296	FAROOQ MUSTAFA KHAN 7555	55	M	09.06.2020	<b>Positive</b>
C7297	SURAYYA SAYYED 7530	43	F	09.06.2020	<b>Positive</b>
C7298	RUPALI SHELAVALA 7557	22	F	09.06.2020	<b>Positive</b>
C7299	RAJNI JADHAV 7549	22	F	09.06.2020	<b>Positive</b>
C7300	ASHWINI BELAVALA 7550	22	F	09.06.2020	Negative
C7301	PARESH DHOLKAR 7577	32	M	09.06.2020	<b>Positive</b>
C7302	YAMUNA GANGARA 7554	48	F	09.06.2020	Negative
C7303	ASHOK AMBARE 7560	50	M	09.06.2020	Negative
C7304	MADHUKAR GAWDE IPD - 117	64	M	09.06.2020	<b>Positive</b>
C7305	IBRAHIM SHAIKH IPD - 14955	60	M	09.06.2020	Negative
C7306	PREMPAL BADHAI PAL ICU - 106	62	M	09.06.2020	<b>Positive</b>

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	07/06/2020 13:45 pm
Date and time of reporting (dd/mm/yyyy)	09/06/2020 15:47 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C7307	SANTOSH VASANT GAIKWAD ICU - 112	42	M	09.06.2020	Positive
C7308	HASAN ALI UJJAINWALA ICU - 113	64	M	09.06.2020	Negative
C7451	KEDAR BIHARI RAM 15033	55	M	09.06.2020	Negative
C7452	RASOOLBEE SHAIKH 122	48	F	09.06.2020	Positive
C7453	BHARATI ANIL CHAVAN ISO ICU 14998	55	F	09.06.2020	Positive
C7454	USHA KASHINATH OVHOL 120	29	F	09.06.2020	Negative
C7309	JINAL TUKLIA	22	F	09.06.2020	Negative
C7310	NILESH BORKAR	25	M	09.06.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by

Dr. Shalmali Dharma Ph. D

  
Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)