



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	28/08/2020 17:50 pm
Date and time of reporting (dd/mm/yyyy)	29/08/2020 17:23 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C23996	KISAN LAXUMAN VISHE	48	M	29.08.2020	Positive
C23997	CHINTAMAN VITHAL TEMBHE	42	M	29.08.2020	Negative
C23998	SANTOSH RAJARAM GHOLAP	50	M	29.08.2020	Positive
C23999	JANABAI SANTOSH GHOLAP	45	F	29.08.2020	Positive
C24000	ATMARAM GANPAT GHOLAP	50	M	29.08.2020	Positive
C24001	MATHURA ATMARAM GHOLAP	12	F	29.08.2020	Positive
C24002	RAJARAM BALU GHOLAP	70	M	29.08.2020	Positive
C24004	CHAITALI SURYAKANT SHELKE	35	F	29.08.2020	Negative
C24005	NEELIMA RAVINDRA RASAL	30	F	29.08.2020	Negative
C24006	ABHAY TANAJI KURLE	39	M	29.08.2020	Negative
C24007	DEVAYANI DEEPAK DESALE	37	F	29.08.2020	Negative
C24008	NUPUR DEEPAK DESALE	16	F	29.08.2020	Negative
C24009	MANTHAN DEEPAK DESALE	10	M	29.08.2020	Negative
C24010	SANDESH GOPAL AGIWALE	29	M	29.08.2020	Positive
C24011	RAGHUNATH CHANDRAKANT KEDAR	38	M	29.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	28/08/2020 17:50 pm
Date and time of reporting (dd/mm/yyyy)	29/08/2020 17:23 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24012	RENUKA RAGHUNATH KEDAR	35	F	29.08.2020	Negative
C24013	JAYESH CHANDRAKANT KEDAR	11	M	29.08.2020	Negative
C24014	SUNITA CHANDRAKANT KEDAR	49	F	29.08.2020	Negative
C24015	NITESH PRAKASH KATHORE	24	M	29.08.2020	Negative
C24016	JEGAN BARKU SHELAVALA	39	M	29.08.2020	Negative
C24017	SNEHA SAMBHAJI GHAGAS	39	M	29.08.2020	Negative
C24018	SAMBHAJI JANARDHAN GHAGAS	47	M	29.08.2020	Negative
C24019	SUMAN VITTHAL MADKE	58	F	29.08.2020	Positive
C24020	KUNAL KIRAN SHAHA	27	M	29.08.2020	Positive
C24021	KIRAN AMARUT SHAHA	58	M	29.08.2020	Negative
C24022	HANSHA KIRTIKUMAR SHAHA	60	M	29.08.2020	Positive
C24023	MONIKA PIUSH SHAHA	41	F	29.08.2020	Positive
C24024	MANISH MADHUKAR BHOIR	34	M	29.08.2020	Negative
C24025	DUSHENT KAILASH RASAL	14	M	29.08.2020	Negative
C24026	SHIVANI SHESHKANT BADERAO	19	F	29.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	28/08/2020 17:50 pm
Date and time of reporting (dd/mm/yyyy)	29/08/2020 17:23 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24027	HARICHANDRA GANPAT GHOLAP	50	M	29.08.2020	Negative
C24028	HARDIK CHINTAMAN TEMBE	15	M	29.08.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)