



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	22/07/2020 12:10 pm
Date and time of reporting (dd/mm/yyyy)	23/07/2020 12:21 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17107	PRASAD PANDURANG KANDALGAONKAR 12640/A - 412	39	M	23.07.2020	Negative
C17106	AYUSHI AKASH SHETTY 12625/A - 413	12	F	23.07.2020	Negative
C17082	NITIN TUKARAM LONDHE 12641/A - 414	30	M	23.07.2020	Negative
C17083	LALITA SHANTARAM NIKAM 12647/A - 416	56	F	23.07.2020	Negative
C17105	RANJIT INDRAJIT CHAVAN 12648/A - 417	29	M	23.07.2020	Negative
C17084	RADHA KISHANCHAND BALCHANDANI 12649/A - 418	48	F	23.07.2020	Negative
C17085	ARCHANA SUDHAKAR POTBHARE 12652/A - 419	34	F	23.07.2020	Negative
C17104	VINOD KRISHNA RAUT 12651/A - 420	58	M	23.07.2020	Negative
C17103	HASAN SURAJ PATHAN 12658/A - 421	30	M	23.07.2020	Negative
C17102	BUDHANDAS AJIT DAS 12653/A - 426	35	M	23.07.2020	Negative
C17086	AARVIND AATMARAM KALANGAN 12662/A - 430	42	M	23.07.2020	Negative
C17087	AJAY PRADIP GHULE 12664/A - 432	31	M	23.07.2020	Negative
C17101	PALLAVI BHAGINATH HAGWANE 12666/A - 433	35	F	23.07.2020	Negative
C17088	NILKANTH SOMNATH LONDHE 12660/A - 434	31	M	23.07.2020	Negative
C17100	DILIP LAXMAN GADEKAR 12667/A - 436	35	M	23.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	22/07/2020 12:10 pm
Date and time of reporting (dd/mm/yyyy)	23/07/2020 12:21 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17099	GOVIND DASHRATH WALEKAR 12670/A - 437	76	M	23.07.2020	<b>Positive</b>
C17098	GAJANAN UTTAMRAO SAPAKE 12467/A - 439	56	M	23.07.2020	Negative
C17097	MANDA RAJESH BHOIR 12674/A - 440	39	F	23.07.2020	Negative
C17096	YASH NAGESH BHOIR 12675/A - 441	18	M	23.07.2020	Negative
C17095	RITU RAJESH BHOIR 12676/A - 442	21	F	23.07.2020	<b>Positive</b>
C17094	AVINASH RAJARAM KURNE 12635/A - 443	58	M	23.07.2020	Negative
C17093	DNYANESHWAR DASHRATH BOBADE 12679/A - 445	30	M	23.07.2020	Negative
C17092	SHEELA GANESH DHARME 12419/A - 446	41	F	23.07.2020	Negative
C17091	MOHIN HUSSAIN ALI SHAIKH 12685/A - 450	29	M	23.07.2020	Negative
C17090	SITARAM KRISHNA MALUSARE 12204/A - 453	59	M	23.07.2020	<b>Positive</b>
C17089	MAHESH VASANTRAO KHATALE 12685/A - 455	38	M	23.07.2020	Negative
C17108	BARKHARANI VIDYARTHI 12695/A - 456	42	F	23.07.2020	Negative
C17064	VANITA VASANT JAMSUDKAR 12673/A - 457	55	F	23.07.2020	Negative
C17063	SITAR AIYAZ KHAN 12708/A - 459	23	F	23.07.2020	Negative
C17067	DILIP SHANKARRAO SALUNKHE 12740/A - 492	42	M	23.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	22/07/2020 12:10 pm
Date and time of reporting (dd/mm/yyyy)	23/07/2020 12:21 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17062	RAEESH ABDUL RAZAQ SHAIKH 12688 / A-460	35	M	23.07.2020	Negative
C17072	ANITA SOPAN BACHKUL 12687/A-461	70	F	23.07.2020	Negative
C17061	KIRAN KRISHNAKANT KUMBHAR 12689/A-462	37	M	23.07.2020	Negative
C17060	AMIT JOGENDRA SINGH 12719/A-463	34	M	23.07.2020	Negative
C17059	AMOL ASHOK SONAWANE 12712/A-465	37	M	23.07.2020	Negative
C17056	AMITA VIJAY KALE 12703/A-466	43	F	23.07.2020	Negative
C17057	AJAY ZUMBAR PAWAR 12686/A-468	42	M	23.07.2020	Negative
C17058	NEEL SAMDHAN BHOSALE 12718/A-470	6	M	23.07.2020	<b>Positive</b>
C17055	SAVITA SAMADHAN BHOSALE 12717/A-471	32	F	23.07.2020	<b>Positive</b>
C17068	MITHALAL PHULCHAND JAIN 12702/A-467	60	M	23.07.2020	Negative
C17069	ATMARAM TUKARAM ADKHALE 12699/A-469	55	M	23.07.2020	<b>Positive</b>
C17070	SWAPNALI SATISH PAWAR 12709/A-474	34	F	23.07.2020	Negative
C17071	MANOHAR BALKRUSHNA TAMBE 12711/A-475	52	M	23.07.2020	Negative
C17073	ANKUSH RAMACHANDRA DESALE 12730/A-479	54	M	23.07.2020	<b>Positive</b>
C17074	HARSH UMESH RATHOD 12715/A-478	13	M	23.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	22/07/2020 12:10 pm
Date and time of reporting (dd/mm/yyyy)	23/07/2020 12:21 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17081	SIDHHI RAMESH GOSWAMI 12707/A-481	7	F	23.07.2020	Negative
C17075	AJAY NANA INGALE 12720/A-482	31	M	23.07.2020	<b>Positive</b>
C17079	SIDHHESHWAR MUNDE 12634/A-490	29	M	23.07.2020	Negative
C17080	ATUL SUNIL BHOSALE 12739/A-491	26	M	23.07.2020	Negative
C17066	SANDEEP PARSHURAM KADAM 12636/A-486	34	M	23.07.2020	<b>Positive</b>
C17065	SHEILENDRA ANANT DESAI 12729/A-485	56	M	23.07.2020	Negative
C17076	SHASHIKANT PANDURANG PAWAR 12737/A-487	33	M	23.07.2020	Negative
C17077	ANIL VISHWANATH INGALE 12731/A-488	40	M	23.07.2020	Negative
C17078	SHAKUNTALA RAMESH PATIL 12738/A-489	58	F	23.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)