



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	20/09/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	22/09/2020 14:04 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C31570	KOYALE URF SABAN BB - 999	83	M	22.09.2020	Negative
C31571	POONAM SHELAR BB - 1014	34	F	22.09.2020	Negative
C31572	SANAINA SHAIKH BB - 1012	25	F	22.09.2020	Negative
C31573	SUNIL GUPTA BB - 997	21	M	22.09.2020	Negative
C31574	SHARAD BAIKAR BB - 1015	42	M	22.09.2020	Negative
C31575	VISHAL DHOBI BB - 1009	38	M	22.09.2020	Negative
C31576	RAMARAO OBININDI BB - 987	42	M	22.09.2020	Negative
C31577	SHESDHAR TIWARI BB - 1010	57	M	22.09.2020	Negative
C31578	GEETA GOSWAMY BB - 989	35	F	22.09.2020	Negative
C31579	SANTOSH ADHAV BB - 986	23	M	22.09.2020	Negative
C31580	MITHU NARESH SINGH BB - 1006	37	F	22.09.2020	Negative
C31581	ASHA VISHWAKARMA BB - 990	46	F	22.09.2020	Negative
C31582	RIPAN THAKKAR B - 3830	05	M	22.09.2020	Negative
C31583	PURVAN THAKKAR B - 3831	03	M	22.09.2020	Negative
C31584	SHUBHAM JADHAV B - 3825	23	M	22.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	20/09/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	22/09/2020 14:04 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C31585	MAHESH KSHIRSAGAR BB - 972	29	M	22.09.2020	Negative
C31586	ANWAR HUSSAIN BB - 1020	42	M	22.09.2020	Negative
C31587	KALU DAKUA BB - 971	49	M	22.09.2020	Negative
C31588	SONU PARAB BB - 974	25	M	22.09.2020	Negative
C31589	ASHA YADAV BB - 992	38	F	22.09.2020	Negative
C31590	SOMESH PADALLA BB - 988	39	M	22.09.2020	Negative
C31591	SURESH PANCHAL BB - 1000	50	M	22.09.2020	Negative
C31592	CHALPATRAL ANSURI BB - 996	43	M	22.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)