



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	18/06/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	19/06/2020 14:23 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9337	SHARDHA SHIMPI C-1421	10	F	19.06.2020	Negative
C9338	VAISHALI SHIMPI C-1421	27	F	19.06.2020	Negative
C9339	VASANT JAWALE C-2402	55	M	19.06.2020	Negative
C9340	MAHESHWARI MALLA C-332	23	M	19.06.2020	Negative
C9341	AATHARVA SAKPAL C-810	12	M	19.06.2020	Negative
C9342	SHANKAR DALVI C-1228	59	M	19.06.2020	Negative
C9343	VASANT SARANG C-1415	59	M	19.06.2020	Negative
C9344	ASHA CHAVHAN C-1419	50	F	19.06.2020	Negative
C9345	GEETA POKALE C-1417	40	F	19.06.2020	Negative
C9346	SHAKUNTALA KALSE C-608	60	F	19.06.2020	Negative
C9347	MONIKA KADAM C-2426	46	F	19.06.2020	Negative
C9348	ANKITA SHIRKE C-812	47	F	19.06.2020	Negative
C9349	VIDYA SONAWANE C-2412	50	F	19.06.2020	Negative
C9350	VASANTI JADHAV C-2331	40	F	19.06.2020	Negative
C9351	SAURABH SHIRKE C-804	23	M	19.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	18/06/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	19/06/2020 14:23 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9352	OM SHIRKE C-804	18	M	19.06.2020	Negative
C9354	PARAS LALBAHADUR MALLA C-314	7	M	19.06.2020	Negative
C9355	SIDDHANT KHAJENDRA MALLA C-314	11	M	19.06.2020	Negative
C9356	YASH DIPAK MALLA C-322	20	M	19.06.2020	Negative
C9357	SHOBHA YASHWANT C-1401	70	F	19.06.2020	Negative
C9358	ATHARVAA MALLA C-314	7	M	19.06.2020	Negative
C9332	MORUTI WAGHMODE C- 1213	40	M	19.06.2020	Negative
C9333	DEEPAK PATOLE C - 1214	54	M	19.06.2020	Negative
C9334	SUNIL PATOLE C - 1232	42	M	19.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)