



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	31/08/2020 16:40 pm
Date and time of reporting (dd/mm/yyyy)	02/09/2020 12:09 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24575	VIKAS RAJPUT W - 3288	28	M	02.09.2020	Negative
C24576	RAJA CHEMUDUPATI W - 3290	47	M	02.09.2020	Negative
C24577	SHARADA CHEMUDUPATI W - 3291	46	F	02.09.2020	Negative
C24578	KUNAL KHANDAGALE W - 3292	28	M	02.09.2020	Negative
C24579	DINESH SANJAY DIGHE W - 3293	25	M	02.09.2020	Positive
C24580	NAMITA PRASHANT SHINDE W - 3294	42	F	02.09.2020	Negative
C24581	SIDDHANT KUWAR W - 3296	22	M	02.09.2020	Negative
C24582	CHITRA KUWAR W - 3298	47	F	02.09.2020	Negative
C24583	SAKSHI KUWAR W - 3299	21	F	02.09.2020	Negative
C24584	CHANDAN RAMNIWAS KANDU W - 3301	26	M	02.09.2020	Negative
C24585	SURAJ YADAV W - 3302	27	M	02.09.2020	Negative
C24586	SANJAY DIGHE W - 3303	50	M	02.09.2020	Negative
C24587	ROSHNI DIGHE W - 3304	21	F	02.09.2020	Negative
C24588	KHATEEJA SHAIKH W - 3306	60	F	02.09.2020	Negative
C24589	NISHIRAJ DILIP WAGH W - 3308	34	M	02.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	31/08/2020 16:40 pm
Date and time of reporting (dd/mm/yyyy)	02/09/2020 12:09 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24590	PRAKASH THORAT W - 3309	28	M	02.09.2020	Negative
C24591	BHAVESH JAIN W - 3310	27	M	02.09.2020	Negative
C24592	JALAM SINGH W - 3311	20	M	02.09.2020	Negative
C24593	PADMAJA YADAV W - 3312	30	F	02.09.2020	Negative
C24594	DILIP ROHIDAS ADASKAR W - 3314	56	M	02.09.2020	Negative
C24595	RAHUL DINESH KUWAR W - 3315	19	M	02.09.2020	Negative
C24596	PRERNA RAJESH KUWAR W - 3316	35	F	02.09.2020	Negative
C24597	DEEPIKA DINESH KUWAR W - 3317	27	F	02.09.2020	Negative
C24598	HANSIKA BHATIA W - 3319	9	F	02.09.2020	Negative
C24599	CHANDER BHATIA W - 3320	46	M	02.09.2020	Negative
C24600	SAGAR MAID W - 3326	24	M	02.09.2020	Negative
C24601	RACHANA PARAG RUNAWAT W - 3327	39	F	02.09.2020	Negative
C24602	RAHUL SURANA W - 3328	35	M	02.09.2020	Negative
C24603	PRASAD KULKARNI W - 3260	30	M	02.09.2020	Negative
C24604	SUNIL GUPTA W - 3279	37	M	02.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	31/08/2020 16:40 pm
Date and time of reporting (dd/mm/yyyy)	02/09/2020 12:09 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24605	SACHIN YADAV W - 3272	29	M	02.09.2020	Negative
C24606	DAYANAND KOLI W - 3267	33	M	02.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)