



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/07/2020 19:00 pm
Date and time of reporting (dd/mm/yyyy)	04/07/2020 12:02 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12395	SAPNA ANIL PADIR	18	F	04.07.2020	Negative
C12396	SUNDAR ANIL PADIR	35	M	04.07.2020	Negative
C12397	ARCHANA ANIL PADIR	16	F	04.07.2020	Negative
C12398	VILAS ANIL PADIR	7	M	04.07.2020	Negative
C12399	RAHEEL ANIL PADIR	13	M	04.07.2020	Negative
C12400	ROSHANI RAHUL DONDE	9	F	04.07.2020	Negative
C12401	RAHUL RAJARAM DONDE	35	M	04.07.2020	Negative
C12402	SHALINI RAHUL DONDE	29	F	04.07.2020	Negative
C12403	NILRAJ RAHUL DONDE	54	M	04.07.2020	Negative
C12404	SHUBHRA RAHUL DONDE	6	F	04.07.2020	Negative
C12405	SUNITA SHARAD JAGTAP	33	F	04.07.2020	Negative
C12406	DILNAVAJ MOHAMMAD SHAIKH	36	M	04.07.2020	Negative
C12407	HITESH MURLIDHAR SURALKAR	28	M	04.07.2020	Positive
C12408	DIPAK DASHRATH MALI	30	M	04.07.2020	Positive
C12409	DIPMALA DHONDU SONAWNE	39	F	04.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/07/2020 19:00 pm
Date and time of reporting (dd/mm/yyyy)	04/07/2020 12:02 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12410	CHANDRAKANT JANARDAN THAKRE	38	M	04.07.2020	Positive
C12411	SAKSHI PRABHAKAR KHARADE 892	14	F	04.07.2020	Negative
C12412	VINOD BHAGWAN KOLI 967	29	M	04.07.2020	Positive
C12413	KAILAS JANGLU PAWAR 972	34	M	04.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)