



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

| | |
|---|---------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 19/06/2020 15:30 pm |
| Date and time of reporting (dd/mm/yyyy) | 20/06/2020 18:02 pm |
| SPECIMEN DETAILS | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL | CSMH |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|----------------------------|-----------|--------|------------------------|-----------------|
| C9590 | JYOTI RAJKUMAR RATHOD 9094 | 32 | F | 20.06.2020 | Negative |
| C9591 | SUREKHA KISHOR JAGTAP 8646 | 52 | F | 20.06.2020 | Positive |
| C9592 | PRAKASH GOVIND KEDAR 9069 | 27 | M | 20.06.2020 | Negative |
| C9593 | YUVRAJ POTYA SHELAK 9071 | 52 | M | 20.06.2020 | Positive |
| C9594 | RAMDAS YEDUBA SAPKAL 9084 | 26 | M | 20.06.2020 | Positive |
| C9595 | DR. PURUSHOTTAM PATIL 9102 | 28 | M | 20.06.2020 | Negative |
| C9596 | LAXMAN SHANKAR PISAT 9099 | 80 | M | 20.06.2020 | Positive |
| C9640 | PRAFUL MOHOD 9130 | 27 | M | 20.06.2020 | Negative |
| C9641 | DIPAK TAMBE 9119 | 50 | M | 20.06.2020 | Positive |
| C9642 | OMKAR JONDHALE 9106 | 20 | M | 20.06.2020 | Positive |
| C9643 | MAARIYA BHANDARI 8856 | 45 | F | 20.06.2020 | Positive |
| C9644 | SACHIN GHARDE 9127 | 28 | M | 20.06.2020 | Negative |
| C9645 | PRANAY KHANDARE 9128 | 23 | M | 20.06.2020 | Positive |
| C9646 | VINOD KAMBLE 9126 | 32 | M | 20.06.2020 | Positive |
| C9647 | Dr. RUTIKA BHOSALE | 27 | F | 20.06.2020 | Negative |

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

| | |
|---|---------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 19/06/2020 15:30 pm |
| Date and time of reporting (dd/mm/yyyy) | 20/06/2020 18:02 pm |
| SPECIMEN DETAILS | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL | CSMH |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|--------------------------|-----------|--------|------------------------|-----------------|
| C9648 | Dr. MAHESH YEOLE | 30 | M | 20.06.2020 | Negative |
| C9649 | DILIP GORE 9120 | 43 | M | 20.06.2020 | Negative |
| C9650 | DEVENDRA TIWARI 9097 | 63 | M | 20.06.2020 | Negative |
| C9651 | JAFAR AMIR KHAN 35374 | 24 | M | 20.06.2020 | Negative |
| C9652 | PANKAJ MASTWAL 9086 | 27 | M | 20.06.2020 | Negative |
| C9653 | RASHID ALAM SHAIKH 35375 | 28 | M | 20.06.2020 | Negative |
| C9654 | AMIT SINGH 9085 | 33 | M | 20.06.2020 | Negative |
| C9655 | JAVED AMIRALI KHAN 35374 | 28 | M | 20.06.2020 | Negative |
| C9656 | JAGANNATH THAKUR 9105 | 63 | M | 20.06.2020 | Positive |
| C9657 | VARUN PALWANKAR 9098 | 29 | M | 20.06.2020 | Negative |
| C9658 | RAEES QURESHI 9100 | 46 | M | 20.06.2020 | Positive |

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)