



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	04/08/2020 15:20 pm
Date and time of reporting (dd/mm/yyyy)	05/08/2020 12:22 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH & RGMC

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C19946	SANJAY GANGARAM SHIVGAN	50	M	05.08.2020	Negative
C19947	UPENDRA JAGAN TAVAR	39	M	05.08.2020	Negative
C19948	SANKET RAMESH TAYDE	38	M	05.08.2020	Negative
C19949	AVINASH RAMSINGH GAVIT	39	M	05.08.2020	Negative
C19950	SIDDHESH M. INGALE	32	M	05.08.2020	Negative
C19951	DEEPAK SONY	63	M	05.08.2020	Negative
C19952	NAGRAJ POOLSWAMI	53	M	05.08.2020	Negative
C19953	SANJAY SHARMA	45	M	05.08.2020	Negative
C19954	VIDYA ANIL BARKADE	31	F	05.08.2020	Negative
C19955	ARUN N. SHELAR	34	M	05.08.2020	Negative
C19956	SANTOSH GOVIND GAWKAR	58	M	05.08.2020	Negative
C19957	SURESH B. KALE	34	M	05.08.2020	Negative
C19958	SARWANT K. CHOUDHARI	60	M	05.08.2020	Negative
C19959	LAWRENCE SIRWEL	51	M	05.08.2020	Negative
C19960	HIRALAL MALI	53	M	05.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Sharma

Verified by
Dr. Shalmali Dharma Ph. D

Udale

Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	04/08/2020 15:20 pm
Date and time of reporting (dd/mm/yyyy)	05/08/2020 12:22 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH & RGMC

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C19961	DULAL ABDUL MALAKA	53	M	05.08.2020	Negative
C19962	ASHWINI RAMAKANT BANSODE	46	F	05.08.2020	Negative
C19963	GANESH M. MALUNJKAR	35	M	05.08.2020	Negative
C19964	SHASHIKANT R. PATIL	49	M	05.08.2020	Negative
C19965	SANKET NARAYAN MARAL	30	M	05.08.2020	Negative
C19966	GANESH NARAYAN MUTKULE	33	M	05.08.2020	Negative
C19967	AKIL S. KHAN	51	M	05.08.2020	Negative
C19968	WASANT KISAN SHERKE	62	M	05.08.2020	Negative
C19969	NANJIRAO BHONU	60	M	05.08.2020	Negative
C19970	KISHOR KUTANE	64	M	05.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)