



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	11/09/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	12/09/2020 20:26 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C28739	AKSHAY MOHAN SINGH 45694/A - 3370	25	M	12.09.2020	Negative
C28738	KISHOR MAHADEV MHASKE 45695/A - 3369	28	M	12.09.2020	Negative
C28732	SURAJ DILEKAR YADAV 15701/A - 3344	20	M	12.09.2020	Negative
C28731	PRADIP BALKRISHNA DALAVI 15699/A - 3346	30	M	12.09.2020	Negative
C28730	NINAD DHANRAJ JAGTAP 15681 /A - 3328	22	M	12.09.2020	Negative
C28729	DR. SANDHYA DABADE N - 3372	33	F	12.09.2020	Negative
C28728	NIKITA SACHIN MHATRE 15684/A - 3330	22	F	12.09.2020	Inconclusive (Repeat Fresh Sample)
C28727	SUVARNA TAQDIR NAIK 15680/A - 3326	29	F	12.09.2020	Negative
C28726	BHIMRAO MORE A - 2724	44	M	12.09.2020	Inconclusive (Repeat Fresh Sample)
C28725	MUGDHA DABADE N - 3371	8	F	12.09.2020	Negative
C28724	ROHIT RAMESH SALAVE 15702/A - 3342	20	M	12.09.2020	Negative
C28722	DASHRATH DINKAR HARALE 15700/ A - 3345	25	M	12.09.2020	Negative
C28721	RANAJANA JEETENDRA SAWANT 15693	19	F	12.09.2020	<b>Positive</b>
C28720	ZUBIYA SHAIKH 857		F	12.09.2020	Negative
C28719	KALPITA MAHESH NAKHWA 854	41	F	12.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	11/09/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	12/09/2020 20:26 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C28718	VILAS BHIMRAO GADHGIRE 855	60	M	12.09.2020	Negative
C28717	SACHIN NAMDEV KARPE 856	40	M	12.09.2020	Negative
C28716	DEEPAK KASORIYA 859	40	M	12.09.2020	Negative
C28715	FARID MOHD ROZA KHAN 21023	55	M	12.09.2020	Negative
C28714	CHANDA PHERU SODE 858	80	F	12.09.2020	Negative
C28713	ASHARAFILAL CHINTAMANI YADAV 15669/A - 3319	55	M	12.09.2020	Negative
C28712	SANGEETA VIKAS BAGAWA 15658/A - 3304	50	F	12.09.2020	<b>Positive</b>
C28711	SHAKUNTALA BHARAT SARUKTE 15662/A - 3310	48	F	12.09.2020	<b>Positive</b>
C28710	SHUBHAM MANOJ GUPTA 15649/A - 3297	21	M	12.09.2020	Negative
C28709	MULSHANKAR JOSHI 15652/A - 3299	25	M	12.09.2020	Negative
C28708	SALONI WANKHEDE 15668/A - 3317	22	F	12.09.2020	Negative
C28707	REKHA SANDEEP GAIKWAD D- 148/ A- 3318	32	F	12.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)