



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	06/09/2020 12:10 pm
Date and time of reporting (dd/mm/yyyy)	08/09/2020 12:45 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	ROZA GARDENIA HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C26641	RAMCHARAN YADAV	20	M	08.09.2020	Negative
C26642	SUNIL SHARMA	21	M	08.09.2020	Negative
C26643	KAUSAR BANU ALI HUSAIN	54	F	08.09.2020	Negative
C26644	MIRA HILIM	30	F	08.09.2020	Negative
C26645	REENESH NAIR	48	M	08.09.2020	Negative
C26646	SAGAR PAWAR	37	M	08.09.2020	Negative
C26647	SANGAMESH BHANUSHALI	28	M	08.09.2020	Negative
C26648	PALLAVI BORKULE	20	F	08.09.2020	Positive
C26649	VEDHI BORKULE	43	F	08.09.2020	Positive
C26650	ANIKET BORKULE	18	M	08.09.2020	Positive
C26651	NITIN NAKTI	40	M	08.09.2020	Negative
C26652	JYOTI SHINGARE	24	F	08.09.2020	Negative
C26626	NIHARIKA NAKTI	8	F	08.09.2020	Negative
C26627	SWARA NAKTI	10	F	08.09.2020	Negative
C26628	SANTOSHI NAKTI	37	F	08.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	06/09/2020 12:10 pm
Date and time of reporting (dd/mm/yyyy)	08/09/2020 12:45 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	ROZA GARDENIA HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C26629	SANDESH PANCHAL	34	M	08.09.2020	Negative
C26630	RASIKA HALDANKAR	37	F	08.09.2020	Negative
C26631	LAKSHMAN MALLYA	46	M	08.09.2020	Negative
C26632	VEENA MALLYA	41	F	08.09.2020	Negative
C26633	VIJAY HOTKAR	76	M	08.09.2020	Positive
C26634	AKSHAY KADAM	29	M	08.09.2020	Negative
C26635	PRASHANT POL	32	M	08.09.2020	Negative
C26636	SACHIN WAGH	44	M	08.09.2020	Negative
C26637	JYOTI WAGH	47	M	08.09.2020	Positive
C26638	AJAY KUMAR	23	M	08.09.2020	Negative
C26639	KARAN RIKHIYASAN	22	M	08.09.2020	Negative
C26640	KAMLESH GAUD	24	M	08.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)