



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	29/09/2020 12:15 pm
Date and time of reporting (dd/mm/yyyy)	30/09/2020 13:28 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33371	KERU TRAIMBAK BOTNAR	55	M	30.09.2020	Positive
C33363	HARISHCHANDRA LAXMAN NAG	50	M	30.09.2020	Positive
C33362	MAHESH LAXMAN BHALERAO	42	M	30.09.2020	Positive
C33372	PRAVIN VAMAN PATANGRAO	42	M	30.09.2020	Positive
C33373	NITIN VAMAN PATANGRAO	40	M	30.09.2020	Negative
C33374	SUVARNA SUBHASH KATHOLE	45	F	30.09.2020	Negative
C33375	ASHOK TUKARAM GHARAT	55	M	30.09.2020	Negative
C33361	ASHWINI PRAKASH RANTHE	31	F	30.09.2020	Negative
C33360	RUDRA PRAKASH RANTHE	8	M	30.09.2020	Positive
C33364	YASHVANT POSU SHELWALE	73	M	30.09.2020	Negative
C33365	TANVI DASHRATH GURAV	17	F	30.09.2020	Negative
C33366	HANUMANT RAJARAM BAND	60	M	30.09.2020	Positive
C33357	ISHWAR LAXMAN SINGH	35	M	30.09.2020	Positive
C33359	ANANTA RAMCHANDRA PANDIT	53	M	30.09.2020	Positive
C33367	KIRTEE RAGHUNATH CHAUDHARI	28	F	30.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	29/09/2020 12:15 pm
Date and time of reporting (dd/mm/yyyy)	30/09/2020 13:28 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33369	GOPINATH SUBHANA TELHURE	49	M	30.09.2020	Negative
C33370	PRAKASH MANGAL RANTHE	41	M	30.09.2020	Positive
C33353	ARJUN BABU PARDHI	28	M	30.09.2020	Negative
C33354	SACHIN ANANTA DHARAVANE	28	M	30.09.2020	Negative
C33355	GAYATRI GAJANAN DEHERKAR	45	F	30.09.2020	Positive
C33356	MANISHA SANTOSH DESHMUKH	50	F	30.09.2020	Negative
C33352	NEHA SANTOSH DESHMUKH	20	F	30.09.2020	Negative
C33368	MANOJ HANUMANT BAND	35	M	30.09.2020	Positive
C33347	SUJATA MANGAL RANTHE	56	F	30.09.2020	Positive
C33348	SAKSHI RAHUL RANTHE	31	F	30.09.2020	Negative
C33349	RAJRATN RAHUL RANTHE	11	M	30.09.2020	Negative
C33350	TANAY RAHUL RANTHE	1	M	30.09.2020	Negative
C33351	SUHAS BAIJUNATH JADHAV	30	M	30.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)