



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

| | |
|---|---------------------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 18/09/2020 16:15 pm |
| Date and time of reporting (dd/mm/yyyy) | 20/09/2020 12:46 pm |
| SPECIMEN DETAILS | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL | KAUSA STADIUM QUARANTINE CENTER |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|--------------------------|-----------|--------|------------------------|-----------------|
| C31237 | RAMRAJ NISHAD | 40 | M | 20.09.2020 | Positive |
| C31236 | VENKATESH A. RAJU | 28 | M | 20.09.2020 | Negative |
| C31235 | SURAJ PRABHAKAR CHAVAN | 19 | M | 20.09.2020 | Positive |
| C31234 | JAY PRAKASH YADAV | 36 | M | 20.09.2020 | Negative |
| C31232 | SAVITA VILAS WAGH | 21 | F | 20.09.2020 | Negative |
| C31231 | UROOJ FATMA MASOOM RIZVI | 29 | F | 20.09.2020 | Negative |
| C31230 | VIJAY BHIMA CHAVHAN | 25 | M | 20.09.2020 | Negative |
| C31229 | ARJUN BHIMA CHAUHAN | 23 | M | 20.09.2020 | Negative |
| C31228 | TARABAI BHIMA CHAVAN | 55 | F | 20.09.2020 | Negative |
| C31227 | RAJU BHEEMA CHAUHAN | 33 | M | 20.09.2020 | Negative |
| C31226 | RATNADEEP PANJABRAO | 28 | M | 20.09.2020 | Negative |

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)