

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	04/09/2020 11:10 am
Date and time of reporting (dd/mm/yyyy)	06/09/2020 19:52 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C26051	POOJA SARDE AA-238	23	F	06.09.2020	Positive
C26053	BABITA CHAUHAN N-2730	48	F	06.09.2020	Negative
C26054	PARAMOD SAFFI N-2731	28	М	06.09.2020	Negative
C26055	SANTOSH VISHWANATH BARGE 15053/A-2746	50	М	06.09.2020	Negative
C26056	SUNIL SHRIDHAR BAVBANDE 15054/A-2749	57	M	06.09.2020	Negative
C26057	RAUNAK KUMAR SHANKAR KHA 15056/A-2752	22	M	06.09.2020	Negative
C26058	MANGESH MADHUKAR DABHOLKAR 15055/A-2753	32	М	06.09.2020	Negative
C26059	ANKUSH POPAT BAGUL 15071/A- 2760	38	M	06.09.2020	Negative
C26060	SUBHASH YADAV 15074/A-2762	26	М	06.09.2020	Negative
C26061	RAJESH CHAGAN KOKFALE 15077/A- 2768	39	М	06.09.2020	Negative
C26062	POLLY SUKHDEV MAHTO 44532/A- 2779	17	F	06.09.2020	Negative
C26063	JYOTIRAM PANDURAND VARUTE 15060	46	М	06.09.2020	Negative
C26064	SALIM SIDDIQUI 2748	22	М	06.09.2020	Negative
C26065	KAVITA RAJESH BALUGADE	32	F	06.09.2020	Negative
C26066	NAVNATH BABARAO LONDHE 15031	32	М	06.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)