



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	30/06/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	01/07/2020 17:00 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11729	SASHI YADAV C-303	40	M	01.07.2020	Positive
C11730	PRAMILA MANORE C-301	55	F	01.07.2020	Positive
C11731	MANOJ AMODKAR C-323	55	M	01.07.2020	Positive
C11732	VARSHA AMODKAR C-321	47	F	01.07.2020	Positive
C11733	SHUBHANGI SAWANT C-404	49	F	01.07.2020	Positive
C11734	SANGITA JAMBURE C-420	47	F	01.07.2020	Positive
C11735	DAYA JADHAV C-703	51	F	01.07.2020	Positive
C11736	SANJAY MALI C-522	51	M	01.07.2020	Positive
C11737	ASHALATA MALI C-520	49	F	01.07.2020	Positive
C11738	KAMAL BHETANE C-526	42	F	01.07.2020	Negative
C11739	KONDABAI BHETANE C-527	65	F	01.07.2020	Positive
C11740	SANJAY RANE C-627	40	M	01.07.2020	Positive
C11741	SUKHDEV HIRVE C-931	54	M	01.07.2020	Positive
C11742	KAMINI AGRE C-911	60	F	01.07.2020	Positive
C11743	ALBINAS FERNANDIS C-701	40	M	01.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	30/06/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	01/07/2020 17:00 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11744	SONU BHOGLA C-727	70	M	01.07.2020	Positive
C11745	VIJAY BHOGLA C-730	45	M	01.07.2020	Positive
C11746	VAISHALI BHOGLA C-730	40	F	01.07.2020	Positive
C11747	ANKITA BAKKAM C-904	40	F	01.07.2020	Positive
C11748	JAYASHRI JADHAV C-725	65	F	01.07.2020	Positive
C11749	ANVI GAYAKWAD C-934	64	F	01.07.2020	Positive
C11750	YOGITA GAIKWAD C-933	38	F	01.07.2020	Negative
C11751	KARUNA BHALERAU C-908	45	F	01.07.2020	Positive
C11752	RAVINDRA PANCHAL C-1024	42	M	01.07.2020	Positive
C11753	NARAYAN PANCHAL C-1023	65	M	01.07.2020	Positive
C11754	DATTATRAY GANPAT GAIKWAD C-820	50	M	01.07.2020	Positive
C11755	VIJAYA GAIKWAD C-820	43	F	01.07.2020	Positive
C11756	VIJAY GANGANE C-907	46	M	01.07.2020	Negative
C11757	SWARA VIDYANAND SHEDGE C-1524	5	F	01.07.2020	Positive
C11758	RAJESH SITARAM SHEDGE C-1517	30	M	01.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	30/06/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	01/07/2020 17:00 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11759	NIRANT MADGAONKAR C-1927	10	F	01.07.2020	Negative
C11760	ANUSH VAIBHAV SAHANE C-2224	10	M	01.07.2020	Negative
C11761	UTKARSH TAMBE C-1608	7	M	01.07.2020	Positive
C11762	VISHAL HAJARE C-133	22	M	01.07.2020	Positive
C11763	USHA VASANT BHOGALE C-726	40	F	01.07.2020	Negative
C11764	VASANT BHOGALE C-726	47	M	01.07.2020	Positive
C11765	SAROJ BEHELWAL C-327	48	F	01.07.2020	Negative
C11766	RATILAL SOLANKI C-605	68	M	01.07.2020	Positive
C11767	UJWALA UDAY DESAI C-422	38	F	01.07.2020	Negative
C11768	KALPANA BHAIKAV C-632	50	F	01.07.2020	Positive
C11769	BHOLENATH VERMA C-629	46	M	01.07.2020	Positive
C11770	BASANTU VISHWAKARMA C-620	40	M	01.07.2020	Positive
C11771	VINOD ANGRE C-717	47	M	01.07.2020	Positive
C11772	ANI ANGRE C-717	42	F	01.07.2020	Positive
C11773	MAY FEDRIK C-720	67	F	01.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	30/06/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	01/07/2020 17:00 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11774	APARNA FEDRIK C-721	39	F	01.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)