



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/10/2020 15:00 pm
Date and time of reporting (dd/mm/yyyy)	04/10/2020 13:01 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34438	SUDHAKAR BHOJA SHETTY W-7134	60	M	04.10.2020	Negative
C34439	SANJAY PANDURANG SAPKAL W-7116	50	M	04.10.2020	Inconclusive (Repeat Fresh Sample)
C34440	UDAY BHAN YADAV W-7118	37	M	04.10.2020	Inconclusive (Repeat Fresh Sample)
C34441	SANJIV PRADHAN W-7126	58	M	04.10.2020	Negative
C34442	KETAKI KAILAS MHATRE W-7131	19	F	04.10.2020	Negative
C34443	RUPALI GOPAL KHODE W-7040	36	F	04.10.2020	Negative
C34444	NILIMA NARENDRA BRID W-7062	47	F	04.10.2020	Negative
C34445	ADITI DEOLEKAR W-7125	21	F	04.10.2020	Negative
C34446	APARNA DEOLEKAR W-7122	53	F	04.10.2020	Negative
C34447	SALIM ABDUL HAMEED W-7089	51	M	04.10.2020	Negative
C34448	VIDYA JAYESH BENDHARI W-7070	35	F	04.10.2020	Negative
C34449	SALMAN SHAU W-7067	32	M	04.10.2020	Negative
C34437	NAGNATH MHADEV M. WY - 7030	28	M	04.10.2020	Negative
C34436	SANJAY P. CHAVAN WY - 7031	38	M	04.10.2020	Negative
C34435	SANDIP DINKAR PAWAR WY - 7033	42	M	04.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/10/2020 15:00 pm
Date and time of reporting (dd/mm/yyyy)	04/10/2020 13:01 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34434	D.S. GHUGHE W Y - 7029	34	M	04.10.2020	Negative
C34450	MUMTAZ SHAH W - 7068	61	F	04.10.2020	Negative
C34451	JINAL NILESH DAGHA W - 7097	26	F	04.10.2020	Negative
C34452	MANJULA NILESH DAGHA W - 7096	49	F	04.10.2020	Negative
C34453	SANKET DEOLEKAR W - 7124	28	M	04.10.2020	Negative
C34454	YASH VINOD SHINDE W - 7111	20	M	04.10.2020	Negative
C34455	SHUBHADA KHERDEKAR W - 7115	63	F	04.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)