



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/06/2020 13:30 pm
Date and time of reporting (dd/mm/yyyy)	03/06/2020 19:14 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C6464	JAYASHREE KADAM D - 617	32	F	03.06.2020	Negative
C6465	SANTOSH GOSAVI D - 604	25	M	03.06.2020	Negative
C6467	SNEHAL MISHRA D - 621	28	F	03.06.2020	Negative
C6468	DIVESH MISHRA D - 1302	25	M	03.06.2020	Negative
C6469	BALAJI SABLE D - 1304	31	M	03.06.2020	Negative
C6470	AKSHAY PAWAR D- 1305	21	M	03.06.2020	Negative
C6471	VISHAL ADAKE D - 3222	30	M	03.06.2020	Negative
C6472	JITENDRA VOUTIYAL D - 305	24	M	03.06.2020	Negative
C6473	YOGITA BHOJANE D - 408	26	F	03.06.2020	Negative
C6474	MADHURI JEJALE D - 917	35	F	03.06.2020	Negative
C6475	BABU PADGHANKAR D - 512	57	M	03.06.2020	Negative
C6476	MANSI DABHOLKAR C - 1706	25	F	03.06.2020	Negative
C6477	RAJAN DABHOLKAR C - 1707	63	M	03.06.2020	Negative
C6478	OVI VINEET MORE C - 915	5	F	03.06.2020	Negative
C6479	PRAMODINI DATTATRAY MORE C - 915	58	F	03.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)