



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	12/06/2020 05:00 am
Date and time of reporting (dd/mm/yyyy)	14/06/2020 15:14 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8359	AKSHAYRAJ SINGH	30	M	14.06.2020	Negative
C8360	SHARDA PANDHRE	29	F	14.06.2020	Negative
C8361	JYOTI JOHARE	29	F	14.06.2020	Negative
C8362	ANDELAL KAHAR	55	M	14.06.2020	Negative
C8363	SUNIL JAGTAP	55	M	14.06.2020	Negative
C8364	LAKSHMAN SUTAR	50	M	14.06.2020	Negative
C8366	DAYASHANKAR MOREY	52	M	14.06.2020	Negative
C8367	DEEPAK PANDURANG DALIR	32	M	14.06.2020	Negative
C8368	SHAILESH KADAM	21	M	14.06.2020	Inconclusive (Repeat Fresh Sample)
C8369	GANESH JATI	21	M	14.06.2020	Negative
C8370	URMILA KOKATE	25	F	14.06.2020	Negative
C8371	BHALCHANDR JAGDALE	50	M	14.06.2020	Negative
C8372	DIGAMBAR ASHOK KAMBLE	36	M	14.06.2020	Negative
C8373	SURESH RAM	50	M	14.06.2020	Negative
C8374	ALKA KISHOR GAWANKAR	53	F	14.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	12/06/2020 05:00 am
Date and time of reporting (dd/mm/yyyy)	14/06/2020 15:14 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8375	SWAPNA BHAUMIK	60	F	14.06.2020	Negative
C8376	MAHADEV SAGAR	62	M	14.06.2020	Negative
C8377	RAJESH SINKAR	49	M	14.06.2020	Negative
C8378	RAMESH HARFUL SHRI CHANDRA	34	M	14.06.2020	Negative
C8379	RAJLAXMI GOSWAMI	55	F	14.06.2020	Negative
C8380	RANI JAGDALE	40	F	14.06.2020	Negative
C8381	KRISHNA KADAM	57	M	14.06.2020	Negative
C8382	SHRIKANT SRIPAT MORE	53	M	14.06.2020	Negative
C8383	GANESH JADHAV	26	M	14.06.2020	Negative
C8384	TEJASVI VICHARE	30	F	14.06.2020	Negative
C8385	MANOJ GUPTA	38	M	14.06.2020	Negative
C8386	SADANAND SRIKANT TELI	48	M	14.06.2020	Negative
C8387	KUSUM NIRBHAVANE	52	F	14.06.2020	Negative
C8388	NANDKUMAR SHINDE	37	M	14.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)