



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	19/07/2020 15:20 pm
Date and time of reporting (dd/mm/yyyy)	20/07/2020 18:16 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16414	PRANAV B VAGHMARE	32	M	20.07.2020	Negative
C16415	YASH BALU JADHAV	19	M	20.07.2020	Negative
C16416	BHAVANA P KOTWANI	56	F	20.07.2020	Negative
C16417	HARGOVIND I KOTWANI	60	M	20.07.2020	<b>Positive</b>
C16418	JEEVAN I KOTWANI	58	M	20.07.2020	Negative
C16419	JYOTI J KOTWANI	57	F	20.07.2020	Negative
C16420	MAHENDRA K WAGH	57	M	20.07.2020	Negative
C16421	MADHAVI M WAGH	49	F	20.07.2020	Negative
C16422	ANIKET M WAGH	28	M	20.07.2020	Negative
C16423	OMKAR M WAGH	22	M	20.07.2020	Negative
C16424	NIKHIL K WAGH	37	M	20.07.2020	Negative
C16425	NISHITA N WAGH	32	F	20.07.2020	Negative
C16426	APURVA N WAGH	10	F	20.07.2020	Negative
C16427	NARMADA POPAT AWATE	64	F	20.07.2020	Negative
C16428	MANISHA S AWATE	39	F	20.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	19/07/2020 15:20 pm
Date and time of reporting (dd/mm/yyyy)	20/07/2020 18:16 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16429	KARAN SANTOSH AWATE	21	M	20.07.2020	Negative
C16430	JAY PRAMOD AWATE	20	M	20.07.2020	Negative
C16431	GAURI SANTOSH AWATE	19	F	20.07.2020	Negative
C16432	SAHIL P AWATE	18	M	20.07.2020	Negative
C16433	SHEHANAZ T ANSARI	38	F	20.07.2020	Negative
C16434	NAZISH T ANSARI	21	F	20.07.2020	<b>Positive</b>
C16435	NOORSAVA T ANSARI	19	F	20.07.2020	Negative
C16436	SANA T ANSARI	17	F	20.07.2020	Negative
C16437	SANIA T ANSARI	16	F	20.07.2020	Negative
C16438	SANKET M DURAFE	24	M	20.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)