



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/06/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	06/06/2020 19:23 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C6908	PRAKASH RAJIV JHA 301	11	M	06.06.2020	Negative
C6909	AKASH RAJIV JHA 301	16	M	06.06.2020	Negative
C6910	KUSUM UPADHYAY 1913	54	F	06.06.2020	Negative
C6911	RESHMA BHALEKAR 1930	60	F	06.06.2020	Negative
C6912	RAVI SHARMA 1022	22	M	06.06.2020	Negative
C6913	HEMANT VARPE 1631	33	M	06.06.2020	Negative
C6914	RUPALI TANAJI DESHMUKH 607	21	F	06.06.2020	Inconclusive (Repeat Fresh Sample)
C6915	SONAL GABALE 1615	22	F	06.06.2020	Inconclusive (Repeat Fresh Sample)
C6916	VAIBHAV GABALE 1616	20	M	06.06.2020	Inconclusive (Repeat Fresh Sample)
C6917	DATTATRAY LOLAGE 832	73	M	06.06.2020	Negative
C6918	SANTOSH ANIL BARDIKAR 1632	47	M	06.06.2020	Negative
C6919	VIJAYSHANKAR RAWOOL 634	28	M	06.06.2020	Negative
C6920	BHARATI LOLAGE 814	31	F	06.06.2020	Negative
C6921	SHRAWANI LOLAGE 814	16	F	06.06.2020	Negative
C6922	SHRAWAN LOLAGE 832	4	M	06.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/06/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	06/06/2020 19:23 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C6923	GANESHKUMAR SHIVAJI MANE 1815	34	M	06.06.2020	Negative
C6924	YOGESH RAMDAS PALSEKAR 402	36	M	06.06.2020	Negative
C6925	SUDESH SHARMA 1021	48	M	06.06.2020	Negative
C6926	PUSHPA SHARMA 1020	24	F	06.06.2020	Negative
C6927	CHANDAN SHARMA 1019	19	M	06.06.2020	Negative
C6928	RAMAVATI SINGH 2016	62	F	06.06.2020	Negative
C6929	PANDHARI BHALEKAR 1929	65	M	06.06.2020	Negative
C6930	PAIGAMBAR MULANI 2110	65	M	06.06.2020	Negative
C6931	SACHIN SURVE 1023	40	M	06.06.2020	Inconclusive (Repeat Fresh Sample)
C6932	SURESHMANI UPAYDHYAY 1933	55	M	06.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)