

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/10/2020 15:35 pm	
Date and time of reporting (dd/mm/yyyy)	07/10/2020 12:10 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C35250	KALPANA CHAUDHARY	45	F	07.10.2020	Negative
C35251	CHINYA REDDY	48	М	07.10.2020	Negative
C35252	DANABAI REDDY	65	F	07.10.2020	Negative
C35253	KHUSHI REDDY	13	F	07.10.2020	Negative
C35254	VIAJY KUMAR CHAUDHARY	50	М	07.10.2020	Negative
C35255	ANJALI CHAUDHARY	09	F	07.10.2020	Negative
C35256	KUNDAN GAMBHIRSINGH BIST	26	М	07.10.2020	Negative
C35257	RAVI JAYRAM SIDGUTTULA	25	M	07.10.2020	Negative
C35258	DHANANJAY REDDY	16	М	07.10.2020	Negative
C35259	MAHIAMA CHUDHARY	20	F	07.10.2020	Negative
C35260	BHOOMI CHAUDHARY	13	F	07.10.2020	Inconclusive (Repeat Fresh Sample)

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)