



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	27/05/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	29/05/2020 16:40 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C5471	DR. YOGITA DHAIGUDE	41	F	27.05.2020	Negative
C5472	MR. ABHIJEET B. INGALE	32	M	27.05.2020	Positive
C5473	PRACHI P. SHINDE	29	F	27.05.2020	Negative
C5474	NIRMALA S. MOHITE	49	F	27.05.2020	Negative
C5475	SWATI G. LALGE	43	F	27.05.2020	Negative
C5476	UJAWAL S. AROTE	55	F	27.05.2020	Negative
C5477	PARSHURAM D. GAYAL	31	M	27.05.2020	Negative
C5478	ASHWINI S. MOHITE	27	F	27.05.2020	Negative
C5479	DEEPTI M. PANDERE	32	F	27.05.2020	Negative
C5480	GANESH S. MOHITE	24	M	27.05.2020	Negative
C5481	HARSH H. GUPTA	6	M	27.05.2020	Positive
C5482	LATA S. SURYAWANSHI	55	F	27.05.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)