



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	18/08/2020 13:30 pm
Date and time of reporting (dd/mm/yyyy)	19/08/2020 12:48 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C22390	AARYA NITIN YASHWANTRAO	10	F	19.08.2020	Positive
C22391	RAJARAM VISHNU DALAL	85	M	19.08.2020	Positive
C22392	JAGANNATH SHANKAR TARE	55	M	19.08.2020	Negative
C22393	SHARAD DUNDAJI THAKARE	33	M	19.08.2020	Positive
C22394	DINKAR UTTAM KALE	33	M	19.08.2020	Positive
C22395	GAYATRI GANESH GHOLAP	39	F	19.08.2020	Positive
C22396	PADMA YUVRAJ HAMARE	25	F	19.08.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)