



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	31/08/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	01/08/2020 15:08 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C19203	NIRMALA AVINASH SHIMPI W1156	57	F	01.08.2020	<b>Positive</b>
C19209	SANTOSH RAMCHANDRA VISHWAKARMA W1114	36	M	01.08.2020	Negative
C19198	DEEPAK DINESH VISHWAKARMA W1107	27	M	01.08.2020	Negative
C19207	RAJU SHREERAM SAHANI W1112	36	M	01.08.2020	Inconclusive (Repeat Fresh Sample)
C19205	BASURAJ KAMANKERI W1119	40	M	01.08.2020	<b>Positive</b>
C19200	HITESH KHIMJI MAVANI W1116	45	M	01.08.2020	Negative
C19201	HIRA RAM RAI W1118	27	M	01.08.2020	Negative
C19206	RANJEET MAHONCHAND THAKUR W1113	35	M	01.08.2020	Inconclusive (Repeat Fresh Sample)
C19204	SURYABHAN KUMAR W1115	27	M	01.08.2020	Negative
C19210	BANNAMMA BHIMPPA W1117	22	F	01.08.2020	Negative
C19208	RAMNANDAN SHARMA W1120	58	M	01.08.2020	Negative
C19211	SELVARAJ NEELAKANDAN ACHARY W1105	59	M	01.08.2020	Negative
C19199	TEJASWINI KUNAL SHIMPI W1145	29	F	01.08.2020	Negative
C19202	SHEETAL KISHOR CHAUDHARI W1108	39	F	01.08.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)