



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	01/09/2020 11:50 am
Date and time of reporting (dd/mm/yyyy)	02/09/2020 12:19 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24611	VIRENDRA KUMAR GOND 14968/A - 2041	21	M	02.09.2020	Negative
C24612	RAKESH LALMAN BHARTI 14456/A - 2632	40	M	02.09.2020	Negative
C24613	SHRADDHA SHRIRAM PARADKAR 13903/A - 2615	53	F	02.09.2020	<b>Positive</b>
C24614	AARYAN PARAG DHAKE 14938/A - 2614	18	M	02.09.2020	Negative
C24615	ANIL DHIRU DHAROLE 14958/A - 2613	30	M	02.09.2020	Negative
C24616	REKHA DATTA GUNJAGAR 20054/A - 2612	25	F	02.09.2020	Negative
C24617	VIDYADHAR ATMARAM WALAWALKAR 14940/A - 2611	58	M	02.09.2020	Negative
C24618	KAVITA VIDYADHAR WALAWALKAR 14939/A - 2610	54	F	02.09.2020	Negative
C24619	VINODKUMAR PRATAP 14953/A - 2628	30	M	02.09.2020	<b>Positive</b>
C24620	MARUTI RAMJI DEVLEKAR 44054/A - 2633	67	M	02.09.2020	Negative
C24621	DR. RUPALI KAKULTE 14925/A - 2593	34	F	02.09.2020	Negative
C24622	VINOD LAXMAN KHANSARE 14928/A - 2596	30	M	02.09.2020	Negative
C24623	RADHA PARASNATH YADAV 14929/A - 2579	32	F	02.09.2020	Negative
C24624	ASGAR HUSSAIN 17847/A - 2598	40	M	02.09.2020	Negative
C24625	PANDURANG BHAGWANT KALE 14920/A - 2600	55	M	02.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	01/09/2020 11:50 am
Date and time of reporting (dd/mm/yyyy)	02/09/2020 12:19 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24626	SUNANDA DULAJI HANDE 1169/A - 2603	42	F	02.09.2020	Negative
C24627	MAHESH NANASAHEB DEVKAR 14933/A - 2604	33	M	02.09.2020	Negative
C24628	POONAM MAHESH DEVKAR 14934/A - 2605	28	F	02.09.2020	Negative
C24629	VIKAS NAMDEV BHOSALE 14935/A - 2606	28	M	02.09.2020	Negative
C24630	MAYURI PARAG DHAKE 14937/A - 2607	22	F	02.09.2020	Negative
C24631	GEETALI PREMCHAND PATIL 14936/A - 2608	34	F	02.09.2020	Negative
C24632	INDRESH MOTILAL PASWAN N - 2626/ A - 2626	37	M	02.09.2020	Negative
C24633	UMESH BACHAN BHARATI 14956/A - 2631	36	M	02.09.2020	<b>Positive</b>
C24634	KODAI RAMDEEP PASWAN 14955/A - 2630	45	M	02.09.2020	Negative
C24635	GUNJAN BHARATI 14954/A - 2629	24	M	02.09.2020	Negative
C24636	KAJAL DATTA HTAGALE 18059/A-2023	25	F	02.09.2020	Negative
C24637	MAMATA VINU MANGALARAPU 20091	26	F	02.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)