



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	21/07/2020 17:15 pm
Date and time of reporting (dd/mm/yyyy)	23/07/2020 11:35 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16953	GOPAL WAMAN DONGRE	58	M	23.07.2020	Negative
C16954	RUPALI VAIBHAV DONGARE	24	F	23.07.2020	Negative
C16955	PRANJAL VAIBHAV DONGRE	3	F	23.07.2020	Negative
C16956	SAGAL GOPAL DONGRE	28	M	23.07.2020	Negative
C16957	VIBHA SAGAR DONGRE	21	F	23.07.2020	Negative
C16958	VAIBHAV GOPAL DONGRE	35	M	23.07.2020	Negative
C16959	SHOBHA BANGO MUMBAIKAR	45	F	23.07.2020	Negative
C16960	AJIT ANANTA MUMBAIKAR	21	M	23.07.2020	Negative
C16961	MANOJ JAGANNATH UBALE	42	M	23.07.2020	Negative
C16962	HARSHAD SHASHIKANT GHAYWAT	20	M	23.07.2020	Positive
C16963	NITIN VITTHAL THETE	39	M	23.07.2020	Positive
C16964	SAKHARAM LAXMAN AAGIWLE	65	M	23.07.2020	Positive
C16965	RUSHIPAL KHACHDU GEHENWAL	55	M	23.07.2020	Negative
C16947	VINAYAK SURESH LONANDKAR	30	M	23.07.2020	Positive
C16948	VAIDEHI VINAYAK LONANDKAR	28	F	23.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	21/07/2020 17:15 pm
Date and time of reporting (dd/mm/yyyy)	23/07/2020 11:35 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16949	VIVEK SURESH LONANDKAR	29	M	23.07.2020	Negative
C16950	SHUBHANGI PRABHAKAR WARGHADE	28	M	23.07.2020	Positive
C16951	SNEHA SIDHARTH AADHAV	30	F	23.07.2020	Positive
C16952	ABHIJIT CHANDRAKANT KHANDAGLE	11	M	23.07.2020	Positive
C16966	MAITRI MUKESH VASANTI	23	F	23.07.2020	Negative
C16967	SATISH NARAYAN KHARE	35	M	23.07.2020	Negative
C16968	ASHWINI BAJIRAO UBALÉ	20	F	23.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)