



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/09/2020 15:50 pm
Date and time of reporting (dd/mm/yyyy)	16/09/2020 12:47 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30209	MEERA LAXMAN AHERWAL 730	55	F	16.09.2020	Negative
C30208	OMKAR UTTAM JADHAV 731	29	M	16.09.2020	Negative
C30207	GEETA DONDAPATTI 905	18	F	16.09.2020	Negative
C30206	NIKHIL DONDAPATTI 904	18	F	16.09.2020	Negative
C30205	RAJESHWARI DONDAPATTI 906	49	F	16.09.2020	Negative
C30204	MURARI VISHWAKARMA 902	24	M	16.09.2020	Negative
C30203	SHITAL MALI 729	11	F	16.09.2020	Negative
C30202	EKTAM BHOSALE 829	6	M	16.09.2020	Negative
C30201	SHEVANTI SONDKAR 811	50	F	16.09.2020	Negative
C30200	MUKTA BHOSALE 829	60	F	16.09.2020	Negative
C30199	RAJAVI BHOSALE 830	7	F	16.09.2020	Negative
C30198	MAHESH NARVEKAR 827	44	M	16.09.2020	Positive
C30197	ROCKEY PAWAR 834	1	M	16.09.2020	Negative
C30196	PIYA PAWAR 834	20	F	16.09.2020	Negative
C30195	YOGITA PAWAR 833	22	F	16.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/09/2020 15:50 pm
Date and time of reporting (dd/mm/yyyy)	16/09/2020 12:47 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30194	DEVIDAS NARVEKAR 820	22	M	16.09.2020	Negative
C30193	SUNITA SONDKAR 810	26	F	16.09.2020	Negative
C30192	GANESH PAWAR 831	18	M	16.09.2020	Negative
C30191	SUJATA PAWAR 832	20	F	16.09.2020	Negative
C30190	AVINASH SONDKAR 809	27	M	16.09.2020	Negative
C30189	ARVIND BHOSALE 830	48	M	16.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)