



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	24/06/2020 13:30 pm
Date and time of reporting (dd/mm/yyyy)	25/06/2020 11:58 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA D - WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10362	NEHA BHOSALE 1318	51	F	25.06.2020	Negative
C10367	SANJAY DUBE 901	42	M	25.06.2020	Negative
C10363	RAJKUMAR DUBE 901	38	F	25.06.2020	Negative
C10364	ASHWINI GAWAS 619	49	F	25.06.2020	<b>Positive</b>
C10365	ANUSHKA UTTEKAR 1219	3	F	25.06.2020	Negative
C10366	RESHMA UTTEKAR 1219	39	F	25.06.2020	Negative
C10376	ANSHA UTTEKAR 1219	7	M	25.06.2020	Negative
C10368	NITIN MADHUKAR LAD 1407	48	M	25.06.2020	<b>Positive</b>
C10369	SHALAN NAVNATH MANDHARE 909	41	F	25.06.2020	Negative
C10370	PRATIBHA SONAWANE 1121	22	F	25.06.2020	Negative
C10371	SACHIN VARTAK 307	39	M	25.06.2020	Negative
C10372	GOVIND VITHU MOHITE 401	59	M	25.06.2020	Negative
C10373	NAVNATH MANDHORE 909	45	M	25.06.2020	Negative
C10374	AKSHAY PATIL 1212	25	M	25.06.2020	Negative
C10375	YOGESH PATIL 1212	26	M	25.06.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)